

Sterilization Containers



Sterile Technology

Sterilization Container- and Tray Systems



Surgical Innovation is our passion



Table of Contents

Sterilization container systems from KLS Martin	4-11
MicroStop®	
Containers, mesh trays, accessories	12-25
marSafe®	
Containers, mesh trays, accessories	26-39
MiniSet	
Containers and accessories	40-41
Mesh tray systems and accessories	42-53
Dimension sheets MicroStop® containers	56-58
Tray configurations MicroStop® containers	59
Dimension sheets marSafe® containers	60-62
Tray configurations marSafe® containers	63
Dimension sheets MiniSet containers	64
Tray configurations MiniSet containers	65
Dimension sheets mesh trays and wire mesh trays	66-72
Index item numbers	74-75

Sterilization Containers by KLS Martin



Requirements of the Standards

For over three decades the KLS Martin Group has repeatedly set standards in the field of sterile supplies for clinics and hospitals. Our packaging systems are designed to maximize patient safety and optimize daily procedures in the CSSD.

That is how we have become one of the world's leading manufacturers of sterilization container systems. Our many customers trust our quality and experience and this is precisely why they prefer sterilization container systems from KLS Martin.

Our container series meet the requirements of national and international standards for packaging systems:

- ISO 11607 Part 1 and Part 2
- EN 868 Part 8
- DIN 58953 Part 9
- CE marking in compliance with MDD 93/42 EEC
- Approved for steam sterilization in compliance with EN 285 and validated in compliance with ISO 17665 Part 1, as well as gravity sterilization¹

¹ marSafe® series only



Our systems assist with simplifying and monitoring the processes in the CSSD, because the primary objective of our solutions is to make the work processes for all requirements for preparation of medical devices simpler and more efficient.

State-of-the-art production systems help us to meet the needs of our customers. Not only our modern facilities but also advanced organization and process management guarantee our success.



Your System Partner in the
Supply of sterile Products



The Solutions

The solutions for sterile technology offered by KLS Martin Group form a systematic overall concept. Individual components are designed to work together to form a system that can meet all requirements for the preparation of instruments. In addition to offering individual products, the KLS Martin Group also acts as your system partner with all specialists throughout the world.

Training

KLS Martin is involved in training technicians in the field of instrument preparation all over the world in the form of presentations at conferences, trade fairs, local specialist events or training courses. We also contribute to the work of national and international organizations and specialized committees for the continuing development of sustainable instrument preparation.



Process Consulting

We support every user with our expertise. We are a reliable partner with the design of new processes and also with the conversion and implementation of processes. We have our own laboratory to perform comprehensive analyses and reports of surfaces, water samples and much more.

Planning Consulting

We are a reliable partner for your project right from the planning stages. We work with users in all areas to define the right containers, mesh trays or storage facilities and to modify the existing in-house system.

Materials

selected by their Characteristics



Aluminum Alloy with special Coating

The container bottom is made of a top-quality aluminum alloy with an anodized finish. The special **CompoundPolid** makes the container bottom even more resistant to chemical attack and normal wear.


The exceptionally low weight of the aluminum makes every container a genuine lightweight. Physical properties such as high heat storage capacity and thermal conductivity ensure optimal drying.

Smooth Surface

There are no protruding screws or rivets on the inside wall. The optimized microstructure of the surface has excellent tribological properties.

Perforated Bottom

The container bottoms in the marSafe® series are also available in perforated design. Consequently, the system is also suitable for gravity sterilization.



Two different Types

MicroStop® washers and lids are manufactured from heat-resistant, steam-sterilizable high-performance plastic. The material is scratch-resistant, high-impact, highly resistant to chemicals and retains its shape. It cannot be permanently deformed.

The lid of the marSafe® series is made of anodized aluminum. Soft edges and transitions on the interior and exterior simplify cleaning and disinfection. No matter whether reprocessing is performed manually or in a machine, the marSafe® system is ideal for both methods.



Identification and Logistics The Choice is yours!



Color-coding: the KLS Martin Principle

All sterilization containers are available color-coded. The KLS Martin principle is always to use the front panels of containers. What's more, we explicitly refrain from using colored anodized aluminum because the colors can turn pale after a while.

The additional options for flexible color coding on the front of the containers makes it quick and easy to assign by color.

- This makes the assignment to different modalities obvious at first glance.
- For unique identification of your mesh tray.

Coding Labels

Even attaching of coding labels is practical because the quick-change function is a slide-in design. Coding labels can be printed with text, a barcode, or a data matrix.





Laser Marking

Our containers are laser-marked with the item number of the complete container, the bottom and the lid. Reorders are therefore no problem.

We can trace the date on which your container was assembled from the laser-marked, encrypted production code. It is a major advantage when it comes to traceability.

Stackability


KLS Martin sterilization containers can be stacked in conformity with standards for space-saving storage, also in combination with containers of the previous generation.




MicroStop®



Can Microbes jump?
Not over the MicroStop® sterile Barrier!



View of the installed microbe barrier



Cross section: air flow into the microbe barrier



Cross section: separation of air flow and microbes

This was the basic question for KLS Martin in the development of the MicroStop® microbe barrier. And we were right: MicroStop® is based on the principle discovered by Louis Pasteur and with a separation efficiency of 99.99997% it offers significantly more effective protection against microbes and particles than any disposable filter.


The microbe barrier of our modern sterilization container system consists of the green MicroStop® washer and the part system attached to the inside of the lid, which is locked by a simple bayonet clip.

The operating principle is simple: The special shape and the resulting differences in flow velocities inside the system separate air flow and microorganisms. The calculations of the Fraunhofer Institute show that microbes are unable to pass through the barrier. The filtered air flows into the interior of the container and the microorganisms remain in the low-flow areas of the labyrinth.




Operation and Handling

Reliable and time-saving




Lateral Flow Paths

The container lid has two lateral flow paths. The advantage of this enclosed lid design is the best possible protection from external influences.



Treatment Indicator

The red-green indicator is based on the function of the bimetallic coil, which turns from red to green under the heat of the sterilization process. Accidental opening can be recognized immediately because the treatment indicator turns back to red as soon as the opening button is pressed.



Seal Slot

A seal can be inserted into the opening button. Close the lid, insert the seal into the slot, done. The seal must be destroyed and removed before opening.



Greencheck®: pin visible and indicator set to green; the container is ready for use.

Button opening with seal slot

Greencheck®

Greencheck® is a safety system that shows CSSD and surgical personnel at a glance that the sterilization container has actually been sterilized.

Greencheck® offers two safety components:

- The Greencheck® pin in the center of the MicroStop® washer: It shows from the outside that the microbe barrier has been inserted into the lid.
- The red-green display on both sides of the container is set to green if the container is unopened and sterilized.

Ready for Use

If both indicators are green and the Greencheck® pin is visible, the container is ready for use. It couldn't be safer.

The MicroStop® Sustainability Concept



Ecology

Our system is a prime example of environmental sustainability. We avoid the use of paper filters, plastic seals and even additional internal packaging of mesh trays.

Economy

The fact that this system eliminates consumable materials during the preparation process saves money for the CSSD and thus saves millions of euros all over the world.

The MicroStop® system also saves time and resources and as a result it saves money in many different areas. Our container system has also been designed to avoid additional maintenance costs.

All parts of our system are designed for lifetime use and support short amortization periods and a long service life, with 15 years of use being not uncommon.

Responsibility

Our system takes a wide range of responsibilities to our customers into account. The low net weight of the system improves working conditions and plays a significant role in preventing spinal problems among CSSD workers.

The PEEK handles are not only ergonomic but also prevent burns from hot handles.

However, our most important responsibility is to patients. The interplay of all the various components such as the well-known treatment indicator and the MicroStop® washer ensure maximum safety for patients. This allows us to meet our objectives and shows our attention to detail.



Outstanding Sustainability

The combination of all the above properties was sufficient to receive the Green Dot Award in 2012.

The jury also gave the product an honorable mention.

This makes it official: The combination of design and sustainability make the MicroStop® system unique in the world.



MicroStop® Containers Half-size (30 x 30)



MicroStop® Containers, half-size



	Height	Item no.
Handle and slide: gray	122 mm	55-440-10-04
	143 mm	55-440-13-04
	164 mm	55-440-15-04
	220 mm	55-440-20-04
	272 mm	55-440-30-04

MicroStop® Containers, half-size




	Height	Item no.
Handle and slide: orange	122 mm	55-620-10-04
	143 mm	55-620-13-04
	164 mm	55-620-15-04
	220 mm	55-620-20-04
	272 mm	55-620-30-04



	Height	Item no.
Handle and slide: red	122 mm	55-600-10-04
	143 mm	55-600-13-04
	164 mm	55-600-15-04
	220 mm	55-600-20-04
	272 mm	55-600-30-04



	Height	Item no.
Handle and slide: green	122 mm	55-630-10-04
	143 mm	55-630-13-04
	164 mm	55-630-15-04
	220 mm	55-630-20-04
	272 mm	55-630-30-04



	Height	Item no.
Handle and slide: blue	122 mm	55-610-10-04
	143 mm	55-610-13-04
	164 mm	55-610-15-04
	220 mm	55-610-20-04
	272 mm	55-610-30-04



	Height	Item no.
Handle and slide: light-gray	122 mm	55-640-10-04
	143 mm	55-640-13-04
	164 mm	55-640-15-04
	220 mm	55-640-20-04
	272 mm	55-640-30-04

Mesh Trays and Perforated Metal Wire-Mesh Trays Half-size

1/2



Mesh Trays



Perforated Metal Wire-Mesh Trays




Wire-Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-24-01	240 x 251 x 25
2	55-804-25-01	240 x 251 x 44
3	55-804-26-01	240 x 251 x 64
4	55-804-27-01	240 x 251 x 94
Lid	55-805-28-01	243 x 255

Item no.	Dimensions (mm)
–	
55-811-24-01	240 x 250 x 60
55-811-25-01	240 x 250 x 75
55-811-26-01	240 x 250 x 100
–	

Item no.	Dimensions (mm)
–	
55-808-24-01	240 x 240 x 50
–	
–	
–	

Silicone Mat



55-807-24-04
234 x 244 mm

Silicone Net



55-807-25-04
230 x 250 mm

Feet for Mesh Trays



55-804-00-04

**For mesh tray configurations
see page 59.**


MicroStop® Containers Three-quarter-size (47x30)




*MicroStop® Containers,
three-quarter-size*



	Height	Item no.
Handle and slide: gray	122 mm	55-441-10-04
	143 mm	55-441-13-04
	164 mm	55-441-15-04
	-	-
	-	-



	Height	Item no.
Handle and slide: red	122 mm	55-601-10-04
	143 mm	55-601-13-04
	164 mm	55-601-15-04
	-	-
	-	-



	Height	Item no.
Handle and slide: blue	122 mm	55-611-10-04
	143 mm	55-611-13-04
	164 mm	55-611-15-04
	-	-
	-	-

*MicroStop® Containers,
three-quarter-size*



	Height	Item no.
Handle and slide: orange	122 mm	55-621-10-04
	143 mm	55-621-13-04
	164 mm	55-621-15-04
	-	-
	-	-



	Height	Item no.
Handle and slide: green	122 mm	55-631-10-04
	143 mm	55-631-13-04
	164 mm	55-631-15-04
	-	-
	-	-



	Height	Item no.
Handle and slide: light-gray	122 mm	55-641-10-04
	143 mm	55-641-13-04
	164 mm	55-641-15-04
	-	-
	-	-

Mesh Trays and Perforated Metal Wire-Mesh Trays

Three-quarter-size



Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-41-01	410 x 251 x 25
2	55-804-42-01	410 x 251 x 44
3	55-804-43-01	410 x 251 x 64
4	55-804-44-01	410 x 251 x 94
Lid	55-805-45-01	410 x 255

Item no.	Dimensions (mm)
–	
55-811-41-01	410 x 250 x 60
55-811-42-01	410 x 250 x 75
55-811-43-01	410 x 250 x 100
–	
–	


Item no.	Dimensions (mm)
–	
55-808-50-01	410 x 240 x 50
55-808-70-01	410 x 240 x 70
–	
–	

Silicone Mat



55-807-41-04
394 x 244 mm

Silicone Net



55-807-42-04
400 x 250 mm


Feet for Mesh Trays



55-804-00-04

**For mesh tray configurations
see page 59.**

MicroStop® Containers Full-size (60 x 30)



MicroStop® Containers, full-size




Height	Item no.
122 mm	55-442-10-04
143 mm	55-442-13-04
164 mm	55-442-15-04
220 mm	55-442-20-04
272 mm	55-442-30-04

Height	Item no.
122 mm	55-622-10-04
143 mm	55-622-13-04
164 mm	55-622-15-04
220 mm	55-622-20-04
272 mm	55-622-30-04



Height	Item no.
122 mm	55-602-10-04
143 mm	55-602-13-04
164 mm	55-602-15-04
220 mm	55-602-20-04
272 mm	55-602-30-04

Handle and slide: green	Height	Item no.
	122 mm	55-632-10-04
	143 mm	55-632-13-04
	164 mm	55-632-15-04
	220 mm	55-632-20-04
	272 mm	55-632-30-04



Height	Item no.
122 mm	55-612-10-04
143 mm	55-612-13-04
164 mm	55-612-15-04
220 mm	55-612-20-04
272 mm	55-612-30-04

Handle and slide: light-gray	Height	Item no.
	122 mm	55-642-10-04
	143 mm	55-642-13-04
	164 mm	55-642-15-04
	220 mm	55-642-20-04
	272 mm	55-642-30-04

Mesh Trays and Perforated Metal Wire-Mesh Trays

DIN-size and full-size (1/1)

DIN

1/1



DIN

Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-48-01	477 x 251 x 25
2	55-804-49-01	477 x 251 x 44
3	55-804-50-01	477 x 251 x 64
4	55-804-51-01	477 x 251 x 94
Lid	55-805-52-01	480 x 255



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Item no.	Dimensions (mm)
—	—
55-811-48-01	480 x 250 x 60
55-811-49-01	480 x 250 x 75
55-811-50-01	480 x 250 x 100
—	—
—	—
—	—

Silicone Mat



55-807-48-04
464 x 244 mm

Silicone Net



55-807-49-04
480 x 250 mm

Feet for Mesh Trays



*For mesh tray configurations
see page 59.*



1/1

Mesh Trays



Wire-Mesh Trays

Item no.	Dimensions (mm)
—	—
—	—
55-808-75-01	500 x 240 x 75
55-808-99-01	500 x 240 x 100
—	—

Silicone Mat




55-807-54-04
524 x 244 mm

Silicone Net



55-807-55-04
520 x 250 mm

Feet for Mesh Trays



Accessories for MicroStop® Containers



The Choice is yours

No matter whether you require text, a barcode, or a data matrix – we'll print coding tags to your specific requirements, comprising 4 lines with 16 characters each. You can choose among 10 color tabs for clear assignment of your containers.

   	Item no.	Coding labels
	55-443-20-04	no lettering, without hole
   	55-443-21-04	no lettering, with hole
	55-443-22-04	lettered, without hole
   	55-443-23-04	lettered, with hole
	Item no.	Color tabs
   	55-443-10-04	black
	55-443-11-04	white
	55-443-12-04	red
	55-443-13-04	blue
	55-443-14-04	green
	55-443-15-04	yellow
	55-443-16-04	purple
	55-443-17-04	orange
	55-443-18-04	gray
	55-443-19-04	light-blue
   	Item no.	Washer holder
	55-443-01-07	Washer holder for machine cleaning for 6 washers



Optional safety indicator system: the seal

	Item no.	Description
	55-996-24-01	Fixing clip
	55-996-48-04	Log label (1000/pack)
	55-996-82-04	Seal without indicator (1000/pack)
	55-996-83-04	Seal with indicator (1000/pack)

	Item no.	Labels
	55-291-11-04	without indicator, single, self-adhesive, 35 x 75 mm, roll of 2000
	55-291-12-04	without indicator, double, self-adhesive, 35 x 75 mm, roll of 2000
	55-291-13-04	with indicator, double, self-adhesive, 35 x 70 mm, roll of 1000

	Item no.	Spring frames for MicroStop® containers
	55-868-40-01	half-size
	55-881-40-01	three-quarter-size
	55-869-40-01	full-size



Practical option when using
sterilization containers with inner
packaging: spring frame and fixing clip

marSafe®



Sterilization Container Systems marSafe® *The alternative Solution*

Our marSafe® series is specially designed for the basic functions of a container system. We have also been able to provide greater flexibility for the end customer.

Top quality manufacture combined with flexibility in the use of consumables make the marSafe® container series a genuine alternative in the hospital, “the alternative solution”.

This container system is focused on both flexibility and economy. In addition to our high-performance MicroStop® system, we also offer the marSafe® series as an economical alternative investment.

Your decision – no compromises

Materials selected by their Characteristics



100% Reliability

The new lock mechanism is on the container bottom and not on the lid. No mechanical wear and no interfering parts during storage or machine reprocessing of the lid. It ensures an absolutely tangible, reliable connection between the lid and the container bottom. The two items become a dependable unit.

Attached Silicone Gasket

When selecting a gasket we opted for clinically suitable silicone material.

With a new innovative bonding process it was possible to attach the gasket without the need for any ridges or separators. The gasket is therefore accessible at all times and can be visually inspected quickly and cleaned in the daily routine.



Space-saving permanent Companion

The innovative lid cover concept is optionally available for all container types. It protects the sterile barrier against direct interference and thus prevents the contents from being rendered non-sterile by external influences.

The protective cover can remain on the container permanently even during sterilization. However, if logistical requirements make removal necessary, it can be stored in an extremely space-saving manner.

Easy to attach!

The protective cover is attached to the lid using two sliders made of high-performance plastic. It is therefore quick to remove and attach.

Proven Principles and new Approaches



Wide range of commonly used tamper evident locks

Paper Filter

In our marSafe® container series we rely on proven features. The sterile barrier consists of a paper filter with a filter holder. The paper filters are only suitable for single use so they ensure maximum safety.

The filters are attached to the lid with a filter holder, quickly clicking into place. A perimeter gasket ensures that the container is absolutely leakproof and that the filter remains firmly in place.



Two Methods – one Solution

When it comes to providing the container with a tamper evident lock as well we opt for familiar procedures. The marSafe® series requires a manual tamper evident lock. However, here too we have applied modern approaches. To avoid you having to unnecessarily change your consumables supplier we offer the world's first 2-lock principle.

We make it possible to attach either standard-type tamper evident locks for sliding in from the side, or the dedicated KLS Martin Group tamper evident lock that is inserted from above and thus provides a more secure fit.

marSafe® Containers
Half-size
(30x30)

*marSafe® Containers, half-size*

Colored panel: dark gray	Height	closed	perforated*
	110 mm	55-230-10-04	55-231-10-04
	140 mm	55-230-13-04	55-231-13-04
	160 mm	55-230-15-04	55-231-15-04
	210 mm	55-230-20-04	55-231-20-04
	270 mm	55-230-30-04	55-231-30-04

marSafe® Containers, half-size

Colored panel: orange	Height	closed	perforated*
	110 mm	55-260-10-04	55-261-10-04
	140 mm	55-260-13-04	55-261-13-04
	160 mm	55-260-15-04	55-261-15-04
	210 mm	55-260-20-04	55-261-20-04
	270 mm	55-260-30-04	55-261-30-04

Colored panel: red	Height	closed	perforated*
	110 mm	55-240-10-04	55-241-10-04
	140 mm	55-240-13-04	55-241-13-04
	160 mm	55-240-15-04	55-241-15-04
	210 mm	55-240-20-04	55-241-20-04
	270 mm	55-240-30-04	55-241-30-04

Colored panel: green	Height	closed	perforated*
	110 mm	55-270-10-04	55-271-10-04
	140 mm	55-270-13-04	55-271-13-04
	160 mm	55-270-15-04	55-271-15-04
	210 mm	55-270-20-04	55-271-20-04
	270 mm	55-270-30-04	55-271-30-04

Colored panel: blue	Height	closed	perforated*
	110 mm	55-250-10-04	55-251-10-04
	140 mm	55-250-13-04	55-251-13-04
	160 mm	55-250-15-04	55-251-15-04
	210 mm	55-250-20-04	55-251-20-04
	270 mm	55-250-30-04	55-251-30-04

Colored panel: light gray	Height	closed	perforated*
	110 mm	55-280-10-04	55-281-10-04
	140 mm	55-280-13-04	55-281-13-04
	160 mm	55-280-15-04	55-281-15-04
	210 mm	55-280-20-04	55-281-20-04
	270 mm	55-280-30-04	55-281-30-04

Mesh Trays and Perforated Metal Wire-Mesh Trays

Half-size

1/2



Mesh Trays



Perforated Metal Wire-Mesh Trays




Wire-Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-24-01	240 x 251 x 25
2	55-804-25-01	240 x 251 x 44
3	55-804-26-01	240 x 251 x 64
4	55-804-27-01	240 x 251 x 94
Lid	55-805-28-01	243 x 255

Item no.	Dimensions (mm)
–	
55-811-24-01	240 x 250 x 60
55-811-25-01	240 x 250 x 75
55-811-26-01	240 x 250 x 100
–	

Item no.	Dimensions (mm)
–	
55-808-24-01	240 x 240 x 50
–	
–	
–	

Silicone Mat



55-807-24-04
234 x 244 mm

Silicone Net



55-807-25-04
230 x 250 mm

Feet for Mesh Trays



55-804-00-04

**For mesh tray configurations
see page 63.**

marSafe® Containers
Three-quarter-size
(47x30)

*marSafe® Containers, three-quarter-size*

Colored panel: dark gray	Height	closed	perforated*
	110 mm	55-232-10-04	55-233-10-04
	140 mm	55-232-13-04	55-233-13-04
	160 mm	55-232-15-04	55-233-15-04
	-	-	-
	-	-	-

marSafe® Containers, three-quarter-size

Colored panel: orange	Height	closed	perforated*
	110 mm	55-262-10-04	55-263-10-04
	140 mm	55-262-13-04	55-263-13-04
	160 mm	55-262-15-04	55-263-15-04
	-	-	-
	-	-	-

Colored panel: red	Height	closed	perforated*
	110 mm	55-242-10-04	55-243-10-04
	140 mm	55-242-13-04	55-243-13-04
	160 mm	55-242-15-04	55-243-15-04
	-	-	-
	-	-	-

Colored panel: green	Height	closed	perforated*
	110 mm	55-272-10-04	55-273-10-04
	140 mm	55-272-13-04	55-273-13-04
	160 mm	55-272-15-04	55-273-15-04
	-	-	-
	-	-	-

Colored panel: blue	Height	closed	perforated*
	110 mm	55-252-10-04	55-253-10-04
	140 mm	55-252-13-04	55-253-13-04
	160 mm	55-252-15-04	55-253-15-04
	-	-	-
	-	-	-

Colored panel: light gray	Height	closed	perforated*
	110 mm	55-282-10-04	55-283-10-04
	140 mm	55-282-13-04	55-283-13-04
	160 mm	55-282-15-04	55-283-15-04
	-	-	-
	-	-	-

Mesh Trays and Perforated Metal Wire-Mesh Trays

Three-quarter-size



Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-41-01	410 x 251 x 25
2	55-804-42-01	410 x 251 x 44
3	55-804-43-01	410 x 251 x 64
4	55-804-44-01	410 x 251 x 94
Lid	55-805-45-01	410 x 255

Item no.	Dimensions (mm)
–	
55-811-41-01	410 x 250 x 60
55-811-42-01	410 x 250 x 75
55-811-43-01	410 x 250 x 100
–	
–	


Item no.	Dimensions (mm)
–	
55-808-50-01	410 x 240 x 50
55-808-70-01	410 x 240 x 70
–	
–	

Silicone Mat



55-807-41-04
394 x 244 mm

Silicone Net



55-807-42-04
400 x 250 mm

Feet for Mesh Trays



55-804-00-04

**For mesh tray configurations
see page 63.**

marSafe® Containers
Full-size
(60x30)

*marSafe® Containers, full-size*

Colored panel: dark gray	Height	closed	perforated*
	110 mm	55-234-10-04	55-235-10-04
	140 mm	55-234-13-04	55-235-13-04
	160 mm	55-234-15-04	55-235-15-04
	210 mm	55-234-20-04	55-235-20-04
	270 mm	55-234-30-04	55-235-30-04

marSafe® Containers, full-size

Colored panel: orange	Height	closed	perforated*
	110 mm	55-264-10-04	55-265-10-04
	140 mm	55-264-13-04	55-265-13-04
	160 mm	55-264-15-04	55-265-15-04
	210 mm	55-264-20-04	55-265-20-04
	270 mm	55-264-30-04	55-265-30-04

Colored panel: red	Height	closed	perforated*
	110 mm	55-244-10-04	55-245-10-04
	140 mm	55-244-13-04	55-245-13-04
	160 mm	55-244-15-04	55-245-15-04
	210 mm	55-244-20-04	55-245-20-04
	270 mm	55-244-30-04	55-245-30-04

Colored panel: green	Height	closed	perforated*
	110 mm	55-274-10-04	55-275-10-04
	140 mm	55-274-13-04	55-275-13-04
	160 mm	55-274-15-04	55-275-15-04
	210 mm	55-274-20-04	55-275-20-04
	270 mm	55-274-30-04	55-275-30-04

Colored panel: blue	Height	closed	perforated*
	110 mm	55-254-10-04	55-255-10-04
	140 mm	55-254-13-04	55-255-13-04
	160 mm	55-254-15-04	55-255-15-04
	210 mm	55-254-20-04	55-255-20-04
	270 mm	55-254-30-04	55-255-30-04

Colored panel: light gray	Height	closed	perforated*
	110 mm	55-284-10-04	55-285-10-04
	140 mm	55-284-13-04	55-285-13-04
	160 mm	55-284-15-04	55-285-15-04
	210 mm	55-284-20-04	55-285-20-04
	270 mm	55-284-30-04	55-285-30-04

Mesh Trays and Perforated Metal Wire-Mesh Trays

DIN-size and full-size (1/1)

1/1

DIN



DIN

Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-48-01	477 x 251 x 25
2	55-804-49-01	477 x 251 x 44
3	55-804-50-01	477 x 251 x 64
4	55-804-51-01	477 x 251 x 94
Lid	55-805-52-01	480 x 255

Silicone Mat



55-807-48-04
464 x 244 mm

Silicone Net



55-807-49-04
480 x 250 mm

Feet for Mesh Trays



55-804-00-04

**For mesh tray configurations
see page 63.**



1/1

Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)
1	55-804-54-01	532 x 251 x 25
2	55-804-55-01	532 x 251 x 44
3	55-804-56-01	532 x 251 x 64
4	55-804-57-01	532 x 251 x 94
Lid	55-805-58-01	535 x 255

Silicone Mat



55-807-54-04
524 x 244 mm

Silicone Net




55-807-55-04
520 x 250 mm

Feet for Mesh Trays



55-804-00-04

Accessories for marSafe® Containers



The Choice is yours

No matter whether you require text, a barcode, or a data matrix – we'll print coding tags to your specific requirements, comprised of 4 lines with 16 characters each.

Accessories for marSafe® Containers

  	Lid
	55-290-30-04 for container 30 x 30 cm
	55-290-47-04 for container 47 x 30 cm
Protective cover	
55-290-99-04 for marSafe® containers	
Filter holder	
04-250-00-04 for marSafe® containers	
Colored panels	
55-230-00-04 dark gray	
55-240-00-04 red	
55-250-00-04 blue	
55-260-00-04 orange	
55-270-00-04 green	
55-280-00-04 light gray	
Coding labels	
55-291-20-04 without lettering	
55-291-21-04 with lettering	
Insertion aid	
55-290-00-04 Insertion aid for changing the colored panels	



Consumables for marSafe® Containers

       	Item no.	Paper filters
	55-291-01-04	Ø 190/6 mm (500/pack)
	Fixing clip	
	55-996-24-01	
	Seal	
	55-996-84-04	for marSafe®, without indicator (1000/pack)
	55-996-85-04	for marSafe®, with indicator (1000/pack)
	55-996-81-04	for marSafe®, inserted from above, with indicator (1000/pack)
	Labels	
	55-291-11-04	without indicator, single, self-adhesive, 35 x 75 mm, roll of 2000
	55-291-12-04	without indicator, double, self-adhesive, 35 x 75 mm, roll of 2000
	55-291-13-04	with indicator, double, self-adhesive, 35 x 70 mm, roll of 1000
	Spring frame for marSafe® container	
	55-868-40-01	half-size
	55-881-40-01	three-quarter-size
	55-869-40-01	full-size



Practical option when using sterilization containers with inner packaging:
spring frame and fixing clip

MiniSet Sterilization Container with Accessories




For minor surgical procedures that can also be performed on an outpatient basis, or for operations in which delicate micro-instruments must be used, KLS Martin offers the MicroStop® MiniSet sterilization containers.

No less efficient than their larger counterparts, they just come in a smaller, more practical format that fits any commonly used small sterilizer. Ideal for outpatient departments, private surgeries, dental practices and all applications where customized solutions are preferred.




Item no. MicroStop® MiniSet containers	
55-861-50-04	310 x 189 x 70 mm
55-861-70-04	310 x 189 x 90 mm
Coding labels	
55-864-01-04	for cover, with text
55-864-02-04	for cover, without text
55-864-05-04	for front, with text
55-864-06-04	for front, without text
Logistics framelets for cover	
55-864-10-04	black
55-864-11-04	white
55-864-12-04	red
55-864-13-04	blue
55-864-14-04	green
55-864-15-04	yellow
55-864-16-04	purple
55-864-17-04	orange
55-864-18-04	gray
55-864-19-04	light-blue
Designation	
55-009-02-04	Log label (1,000/pack)
55-996-76-04	Seal without indicator (1,000/pack)
55-996-77-04	Seal with indicator (1,000/pack)
55-009-06-04	Spring frame
55-009-08-04	Silicone mat for containers

For Storage and Transport of sterile Supplies
The new Mesh Tray System




Benefits of the Mesh Tray System at a glance:



- Perfect protection of your instruments with optional holders and separators made of silicone.
- Thanks to the wide-mesh pattern you can achieve optimal cleaning results.
- Fenestrated corners mean the end of rinsing shadows.
- Wide handles facilitate transport of the mesh tray and allow perfect aseptic removal.



- Optionally available feet optimize stacking in the container.



Mesh Tray Overview

The new mesh tray system is available in four different sizes and four different heights.

For each mesh tray size we offer an optional lid that can be very easily locked onto the mesh tray by folding down the handles.

Due to perfect stackability with the optional feet you can use multiple mesh trays in one sterilization container.



	Height	Tray size
①	25 mm	1/2
		3/4
		DIN
		1/1
②	44 mm	1/2
		3/4
		DIN
		1/1
③	64 mm	1/2
		3/4
		DIN
		1/1
④	94 mm	1/2
		3/4
		DIN
		1/1



1/2

Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)
1	55-804-24-01	240 x 251 x 25	—	—	—	—
2	55-804-25-01	240 x 251 x 44	55-811-24-01	240 x 250 x 60	55-808-24-01	240 x 240 x 50
3	55-804-26-01	240 x 251 x 64	55-811-25-01	240 x 250 x 75	—	—
4	55-804-27-01	240 x 251 x 94	55-811-26-01	240 x 250 x 100	—	—
Lid	55-805-28-01	243 x 255	—	—	—	—



3/4

Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)
1	55-804-41-01	410 x 251 x 25	—	—	—	—
2	55-804-42-01	410 x 251 x 44	55-811-41-01	410 x 250 x 60	55-808-50-01	410 x 240 x 50
3	55-804-43-01	410 x 251 x 64	55-811-42-01	410 x 250 x 75	55-808-70-01	410 x 240 x 70
4	55-804-44-01	410 x 251 x 94	55-811-43-01	410 x 250 x 100	—	—
Lid	55-805-45-01	410 x 255	—	—	—	—



DIN

Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)
1	55-804-48-01	477 x 251 x 25	—	—	—	—
2	55-804-49-01	477 x 251 x 44	55-811-48-01	480 x 250 x 60	55-808-48-01	480 x 240 x 50
3	55-804-50-01	477 x 251 x 64	55-811-49-01	480 x 250 x 75	—	—
4	55-804-51-01	477 x 251 x 94	55-811-50-01	480 x 250 x 100	—	—
Lid	55-805-52-01	480 x 255	—	—	—	—



1/1

Mesh Trays



Perforated Metal Wire-Mesh Trays



Wire-Mesh Trays

Height	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)	Item no.	Dimensions (mm)
1	55-804-54-01	532 x 251 x 25	—	—	—	—
2	55-804-55-01	532 x 251 x 44	55-811-51-01	510 x 250 x 60	—	—
3	55-804-56-01	532 x 251 x 64	55-811-52-01	510 x 250 x 75	55-808-75-01	500 x 240 x 75
4	55-804-57-01	532 x 251 x 94	55-811-53-01	510 x 250 x 100	55-808-99-01	500 x 240 x 100
Lid	55-805-58-01	535 x 255	—	—	—	—

Mesh Tray and Wire Tray Accessories

Providing your baskets and trays with identification is easy. Labels can be printed with text, a barcode, or a data matrix. On 4 lines of 16 characters each we'll laser print your specific identification.

Identification Options for all Mesh Trays and Wire-Mesh Trays

	Item no.	Identification labels/stainless steel
55-864-40-04	matt, with text	
55-864-41-04	matt, without text	
55-864-50-04	glossy, with text	
55-864-51-04	glossy, without text	

	Item no.	Description
55-864-30-04	Holding clip	
55-864-01-04	Coding label with text, w/o hole	
55-864-02-04	Coding label w/o text, w/o hole	
Item no.	Logistics framelets	
55-864-10-04	black	
55-864-11-04	white	
55-864-12-04	red	
55-864-13-04	blue	
55-864-14-04	green	
55-864-15-04	yellow	
55-864-16-04	purple	
55-864-17-04	orange	
55-864-18-04	gray	
55-864-19-04	light-blue	

Configuration example, consisting of
1x 55-864-30-04
1x 55-864-01-04
1x 55-864-16-04

Possibility to label wire mesh tray

	Item no.	Description
55-996-10-04	Spring hook	
55-864-03-04	Coding label with text, with hole	
55-864-04-04	Coding label w/o text, with hole	

	Item no.	Description
55-804-00-04	Feet for basket	


Mesh Trays Accessories



Sample configuration, consisting of
1x 55-806-07-04
2x 55-806-10-04




Sample configuration, consisting of
1x 55-806-30-04
2x 55-806-07-04





Sample configuration, consisting of
2x 55-806-90-07
1x 55-806-91-07
1x 55-806-06-04




Sample configuration, consisting of
1x 55-806-25-04
1x 55-806-26-04



Customized Doro Luna® storage solution,
PMI Surgical



No matter whether they are placed crosswise, lengthwise, or diagonally, you can always fix your instruments in place.



Maximum Flexibility

Our instrument holders offer maximum flexibility for virtually all possible combinations.

The instrument holders are supplied with **3 retaining clips** in continuous units of 6 or 3. However, you can easily divide the unit with scissors – exactly to suit your requirements.

Customized Solutions for the most demanding Requirements

In addition to our standard components, we also offer special models customized for your situation. Highest possible degree of individuality.

Mesh Trays

Accessories

Accessories for Mesh Trays

Item no.	Description*	Height
55-806-05-04	Instrument holder, Ø 4-6 mm	22 mm
55-806-06-04	Instrument holder, Ø 6-8 mm	22 mm
55-806-07-04	Instrument holder, Ø 8-10 mm	22 mm
55-806-08-04	6x instrument holder, Ø 4-6 mm, high	40 mm
55-806-09-04	6x instrument holder, Ø 6-8 mm, high	40 mm
55-806-10-04	6x instrument holder, Ø 8-10 mm, high	40 mm
55-806-11-04	3x instrument holder, Ø 15 mm	40 mm
55-806-12-04	3x instrument holder, Ø 20 mm, high	40 mm
55-806-20-04	3x instrument holder universal	40 mm
55-806-21-04	3x instrument holder universal, high	55 mm
55-806-25-04	6x studded strip	22 mm
55-806-26-04	6x studded strip, high	40 mm

* All silicone strips are supplied with 3 clips.

Accessories for Mesh Trays

Item no.	Description*	Height
55-806-30-04	Ocular holder	
55-806-31-04	Shaft holder, 4-6 mm, for straight and angled optics	
55-806-32-04	Shaft holder, 6-8 mm, for straight and angled optics	
55-806-33-04	Shaft holder, 8-10 mm, for straight and angled optics	
55-806-40-04	Ring holder of silicone	
55-806-41-04	Ring holder of silicone, high	
55-806-50-04	Separator, 123 x 9 x 22 mm, with clips	22 mm
55-806-51-04	Separator, 123 x 9 x 40 mm, with clips	40 mm
55-806-02-04	Clips for instrument holder (10/pack)	
55-806-90-07	Adapter unit for standard mesh tray	
55-806-91-07	Screw for adapter unit, 10 pieces	
55-806-92-04	Screwdriver for adapter unit	

Mesh Trays and Wire-Mesh Trays with Accessories



Overview of Mesh Trays and Wire-Mesh Trays

1		Height	Item no.	Mesh tray (277 x 171 mm)
		30 mm	55-015-10-01	without silicone strips
		30 mm	55-015-13-01	with silicone strips
2		Height	Item no.	Mesh tray (277 x 171 mm)
		38 mm	55-015-20-01	without silicone strips
		38 mm	55-015-23-01	with silicone strips
3		Height	Item no.	Mesh tray (277 x 171 mm)
		54 mm	55-015-30-01	without silicone strips
		54 mm	55-015-33-01	with silicone strips
4		Height	Item no.	Wire-mesh tray (260 x 165 mm)
		28 mm	55-808-20-01	
5		Height	Item no.	Wire-mesh tray (260 x 165 mm)
		47 mm	55-808-21-01	
			Item no.	Silicone mat (254 x 154 mm)
			55-009-09-04	for mesh trays and wire-mesh trays

**For mesh tray configurations
see page 65.**

	Item no.	Tray ID labels, aluminum
	55-996-03-04	silver, non-lettered
	55-996-04-04	red, non-lettered
	55-996-05-04	blue, non-lettered
	55-996-06-04	green, non-lettered
	55-996-07-04	gold, non-lettered
	55-996-08-04	black, non-lettered
	55-996-09-04	purple, non-lettered
	55-996-12-04	silver, lettered
	55-996-13-04	red, lettered
	55-996-14-04	blue, lettered
	55-996-15-04	green, lettered
	55-996-16-04	gold, lettered
	55-996-17-04	black, lettered
	55-996-18-04	purple, lettered



Configuration example (see illustration on left):

1 x	55-015-20-01	Mesh tray, 38 mm high, without silicone strips
2 x	55-004-03-04	Bottom strip for instrument fixation, transverse, 162 mm
2 x	55-005-01-04	Plug-in element with support (16/pack)
1 x	55-006-02-04	Spring element, transverse, 162 mm
2 x	55-007-01-04	Fixing element for ring-handle instruments
1 x	55-008-01-04	Stop frame, transverse, 162 mm

Accessories for Trays with a Height of 30, 38 and 54 mm



Item no.	Designation
55-004-02-04	Bottom strip for instrument fixation, long, 237 mm
55-004-03-04	Bottom strip for instrument fixation, transverse, 162 mm
55-004-04-04	Bottom strip for instrument fixation, short, 75 mm
55-005-01-04	Plug-in element with support (16/pack)
55-005-02-04	Plug-in element without support (16/pack)
55-008-10-04	Storage box for drill bits and electrodes



55-005-01-04 55-005-02-04

Accessories for Trays with a Height of 30 and 38 mm



Item no.	Designation
55-006-01-04	Spring element, long, 237 mm
55-006-02-04	Spring element, transverse, 162 mm
55-006-03-04	Spring element, short, 75 mm
55-007-01-04	Fixing element for ring-handle instruments
55-008-01-04	Stop frame, transverse, 162 mm
55-008-02-04	Stop frame, short, 75 mm

Accessories for Trays with a Height of 54 mm



Item no.	Designation
55-006-04-04	Spring element, long, 237 mm
55-006-05-04	Spring element, transverse, 162 mm
55-006-06-04	Spring element, short, 75 mm
55-007-02-04	Fixing element for ring-handle instruments
55-008-03-04	Stop frame, transverse, 162 mm
55-008-04-04	Stop frame, short, 75 mm

Special Storage marCore® Instruments



55-803-30-04

MIS cleaning tray, full-size for up to 8 instruments, incl. lid
(instruments not included)

Not just clean but also purified.

Optimum cleaning is the basic requirement for every hollow-shaft instrument. Our newly designed, easier to clean mesh tray cleans all areas that are difficult to access thoroughly to meet the most demanding requirements on the preparation processes of surgical instruments.

A Luer Lock cleaning connection on two strips allows up to eight instruments with Luer Lock connectors to be attached.



24-857-00-07

Rhoton cleaning set for all figures
(instruments not included)




Item no.	Designation	Dimensions (L x W x H)
55-891-40-01	Small-parts basket, fine-mesh	80 x 80 x 40 mm
55-891-41-01	Small-parts basket, fine-mesh	200 x 100 x 10 mm



55-803-10-04

480 x 255 x 103 mm
Mesh tray for storage of laminectomy punches,
sample packing



55-803-15-04

535 x 255 x 103 mm
Reduced-height mesh tray for storage of 4 punches
in a particularly low storage trolley for WD (washer-disinfector)



55-803-20-04

480 x 255 x 103 mm
Mesh tray for storage of rongeurs,
sample packing

Sterile Supplies Cycle

Packing



80-105-00-04
Test unit "marTest" for testing
HF-surgical accessories

Sterilization



55-890-15-01
Sterilization basket
600 x 300 x 130 mm



55-890-30-01
Sterilization basket
600 x 300 x 260 mm

Transport and Storage



55-998-01-01
Sterile supplies table
with cover storage rails
700 x 460 x 900 mm



55-998-02-01
Sterile supplies table
with cover storage rails
700 x 700 x 900 mm



55-998-03-01
Transport and storage trolley,
with two height-adjustable shelves
(55-mm increments)
1175 x 675 x 1367 mm



Cleaning and Disinfection

Disposal



Item no.	Designation	Dimensions (L x W x H)
55-865-15-04	Disposal container, half-size (1/2)	294 x 289 x 162 mm
55-868-15-04	Disposal container, full-size (1/1)	580 x 289 x 162 mm
55-996-27-01	Disposal clip w. number (pair)	

Use



55-998-04-01
Transport and storage compartment trolley,
with storage rails for nine STUs,
adjustable in height (55-mm increments)
1155 x 675 x 1367 mm



55-998-05-01
Mobile container cabinet
with storage rails for **nine STUs**,
adjustable in height (55-mm increments)
1249 x 754 x 1435 mm




55-998-07-01
Mobile container cabinet
with storage rails for **six STUs**,
adjustable in height (55-mm increments)
965 x 754 x 1435 mm

Dimension Sheet for half-size MicroStop® Containers, 300 x 300 mm

MicroStop® Containers, half-size

Item no.	H1	H2
55-440-10-04	122 mm	91 mm
55-440-13-04	143 mm	112 mm
55-440-15-04	164 mm	133 mm
55-440-20-04	220 mm	189 mm
55-440-30-04	272 mm	241 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



H1 = external height

H2 = internal height from MicroStop® washer


H2 – 10 mm = load height

Dimension Sheet for three-quarter-size MicroStop® Containers, 470 x 300 mm

MicroStop® Containers, three-quarter-size

Item no.	H1	H2
55-441-10-04	121 mm	91 mm
55-441-13-04	142 mm	112 mm
55-441-15-04	163 mm	133 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



H1 = external height

H2 = internal height from MicroStop® washer





H2 - 10 mm = load height

Dimension Sheet for full-size MicroStop® Containers, 600 x 300 mm

MicroStop® Containers, full-size

Item no.	H1	H2
55-442-10-04	122 mm	91 mm
55-442-13-04	143 mm	112 mm
55-442-15-04	164 mm	133 mm
55-442-20-04	220 mm	189 mm
55-442-30-04	272 mm	241 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



H1 = external height

H2 = internal height from MicroStop® washer

H2 - 10 mm = load height

Mesh Tray Configurations for MicroStop® Containers

Which mesh tray combinations can be stacked in which MicroStop® containers?

We'll be pleased to help you put together a state-of-the-art storage and packaging system. The table at the bottom of the page shows you all the mesh tray configuration options available.

From the various combinations simply select the one that is ideal for the storage and transport of your specific instrument basket or tray.

Tray Configurations

 122 mm	 1 1	 2		
 143 mm	 1 2	 3		
 164 mm	 1 1 1	 2 2	 1 3	 4
 220 mm	 2 2 2	 3 3 3	 2 4	

Note: Containers with a height of 272 mm are only suitable for the sterilization and storage of linen.



Dimension Sheet for half-size marSafe® Containers, 300 x 300 mm

marSafe® Containers, half-size

Item no.	H1	H2	H3
55-230-10-04	112 mm	77 mm	64 mm
55-230-13-04	133 mm	98 mm	85 mm
55-230-15-04	154 mm	119 mm	106 mm
55-230-20-04	210 mm	175 mm	162 mm
55-230-30-04	262 mm	227 mm	214 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.

Perforated bottom



H1 = external height

H2 = internal height


H3 = internal height of perforated bottom

Dimension Sheet for three-quarter-size marSafe® Containers, 470 x 300 mm

marSafe® Containers, three-quarter-size

Item no.	H1	H2	H3
55-232-10-04	112 mm	77 mm	64 mm
55-232-13-04	133 mm	98 mm	85 mm
55-232-15-04	154 mm	119 mm	106 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



H1 = external height

H2 = internal height


H3 = internal height of perforated bottom

Dimension Sheet for full-size marSafe® Containers, 600 x 300 mm

marSafe® Containers, full-size

Item no.	H1	H2	H3
55-234-10-04	112 mm	77 mm	64 mm
55-234-13-04	133 mm	96 mm	85 mm
55-234-15-04	154 mm	119 mm	106 mm
55-234-20-04	210 mm	157 mm	162 mm
55-234-30-04	262 mm	227 mm	214 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



H1 = external height

H2 = internal height

H3 = internal height of perforated bottom

Mesh Tray Configurations for marSafe® Containers

Which mesh tray combinations can be stacked in which marSafe® containers?

We'll be pleased to help you put together a state-of-the-art storage and packaging system. The table below shows you all the mesh tray configuration options available.

From the various combinations simply select the one that is ideal for the storage and transport of your specific instrument basket or tray.

Tray Configurations

 110 mm	 1  1	 2		
 140 mm	 1  2	 3		
 160 mm	 1  1  1	 2  2	 1  3	 4
 210 mm	 2  2  2	 3  3	 2  3	





Note: Containers with a height of 272 mm are only suitable for the sterilization and storage of linen.
Feet 55-804-00-04 are recommended for stacking.

Dimension Sheet for full-size MiniSet Containers

MiniSet Containers

Item no.	H1	H2
55-861-50-04	70 mm	48 mm
55-861-70-04	90 mm	68 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



H1 = external height

H2 = internal height

H2 – 10 mm = load height


Tray Configurations for MiniSet Containers

Which mesh trays and wire-mesh trays can you stack in which MiniSet containers?

We'll be pleased to help you put together a state-of-the-art storage and packaging system.

From the various combinations simply select the one that is ideal for the storage and transport of your specific instrument basket or tray.

Tray Configurations



Dimension Sheet



Mesh Trays for MicroStop® and marSafe®

Mesh Tray, half-size

Item no.	H
55-804-24-01	25 mm
55-804-25-01	44 mm
55-804-26-01	64 mm
55-804-27-01	94 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.

When feet are used, dimension "H" increases by 13 mm.





Mesh Tray, three-quarter-size

Item no.	H
55-804-41-01	25 mm
55-804-42-01	44 mm
55-804-43-01	64 mm
55-804-44-01	94 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.

When feet are used, dimension "H" increases by 13 mm.




Mesh Tray, DIN size

Item no.	H
55-804-48-01	25 mm
55-804-49-01	44 mm
55-804-50-01	64 mm
55-804-51-01	94 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.

When feet are used, dimension "H" increases by 13 mm.




Mesh Tray, full-size

Item no.	H
55-804-54-01	25 mm
55-804-55-01	44 mm
55-804-56-01	64 mm
55-804-57-01	94 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.

When feet are used, dimension "H" increases by 13 mm.





Dimension Sheet

Perforated Metal Wire-Mesh Trays

Perforated Metal Wire-Mesh Tray, half-size

Item no.	H
55-811-24-01	60 mm
55-811-25-01	75 mm
55-811-26-01	100 mm



Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



Perforated Metal Wire-Mesh Tray, three-quarter-size

Item no.	H
55-811-41-01	60 mm
55-811-42-01	75 mm
55-811-43-01	100 mm


Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



*Perforated Metal Wire-Mesh Tray,
DIN size*

Item no.	H
55-811-48-01	60 mm
55-811-49-01	75 mm
55-811-50-01	100 mm


Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



*Perforated Metal Wire-Mesh Tray,
full-size*

Item no.	H
55-811-51-01	60 mm
55-811-52-01	75 mm
55-811-53-01	100 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.





Dimension Sheet

Wire-Mesh Trays

Wire-Mesh Tray, half-size

Item no.	H
55-808-24-01	50 mm




Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



Wire-Mesh Tray, three-quarter-size

Item no.	H
55-808-50-01	50 mm
55-808-70-01	70 mm



Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



Wire-Mesh Tray, DIN-size

Item no.	H
55-808-48-01	50 mm



Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



Wire-Mesh Tray, full-size

Item no.	H
55-808-75-01	75 mm
55-808-99-01	100 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



Dimension Sheet


Mesh Trays for MiniSet Containers

Mesh Tray

Item no.	H
55-015-10-01	32 mm
55-015-20-01	40 mm
55-015-30-01	56 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.


Load height = H - 2 mm



Wire-Mesh Tray

Item no.	H
55-808-20-01	28 mm
55-808-21-01	47 mm

Actual dimensions are subject to tolerances and can, for production reasons, be slightly different from the specifications. Subject to technical changes without notice.



04	55-235-15-0436	55-260-15-0432	55-281-20-0432	55-600-20-0418
04-250-00-04	38	55-235-20-0436	55-260-20-0432	55-600-30-0418
		55-235-30-0436	55-260-30-0432	55-601-10-0420
24	55-240-00-0438	55-261-10-0432	55-282-10-0434	55-601-13-0420
24-857-00-07	53	55-240-10-0432	55-261-13-0432	55-601-15-0420
		55-240-13-0432	55-261-15-0432	55-602-10-0422
55	55-240-15-0432	55-261-20-0432	55-283-10-0434	55-602-13-0422
55-004-02-04	51	55-240-20-0432	55-261-30-0432	55-602-15-0422
55-004-03-04	51	55-240-30-0432	55-262-10-0434	55-602-20-0422
55-004-04-04	51	55-241-10-0432	55-262-13-0434	55-602-30-0422
55-005-01-04	51	55-241-13-0432	55-262-15-0434	55-610-10-0418
55-005-02-04	51	55-241-15-0432	55-263-10-0434	55-610-13-0418
55-006-01-04	51	55-241-20-0432	55-263-13-0434	55-610-15-0418
55-006-02-04	51	55-241-30-0432	55-263-15-0434	55-610-20-0418
55-006-03-04	51	55-242-10-0434	55-264-10-0436	55-610-30-0418
55-006-04-04	51	55-242-13-0434	55-264-13-0436	55-611-10-0420
55-006-05-04	51	55-242-15-0434	55-264-15-0436	55-611-13-0420
55-006-06-04	51	55-243-10-0434	55-264-20-0436	55-611-15-0420
55-007-01-04	51	55-243-13-0434	55-264-30-0436	55-612-10-0422
55-007-02-04	51	55-243-15-0434	55-265-10-0436	55-612-13-0422
55-008-01-04	51	55-244-10-0436	55-265-13-0436	55-612-15-0422
55-008-02-04	51	55-244-13-0436	55-265-15-0436	55-612-20-0422
55-008-03-04	51	55-244-15-0436	55-265-20-0436	55-612-30-0422
55-008-04-04	51	55-244-20-0436	55-265-30-0436	55-620-10-0418
55-008-10-04	51	55-244-30-0436	55-270-00-0438	55-620-13-0418
55-009-02-04	41	55-245-10-0436	55-270-10-0432	55-620-15-0418
55-009-06-04	41	55-245-13-0436	55-270-13-0432	55-620-20-0418
55-009-08-04	41	55-245-15-0436	55-270-15-0432	55-620-30-0418
55-009-09-04	50	55-245-20-0436	55-270-20-0432	55-621-10-0420
55-015-10-01	50, 72	55-245-30-0436	55-270-30-0432	55-621-13-0420
55-015-13-01	50	55-250-00-0438	55-271-10-0432	55-621-15-0420
55-015-20-01	50, 51, 72	55-250-10-0432	55-271-13-0432	55-622-10-0422
		55-250-13-0432	55-271-15-0432	55-622-13-0422
55-015-23-01	50	55-250-15-0432	55-271-20-0432	55-622-15-0422
55-015-30-01	50, 72	55-250-20-0432	55-271-30-0432	55-622-20-0422
55-015-33-01	50	55-250-30-0432	55-272-10-0434	55-622-30-0422
55-230-00-04	38	55-251-10-0432	55-272-13-0434	55-630-10-0418
55-230-10-04	32, 60	55-251-13-0432	55-272-15-0434	55-630-13-0418
55-230-13-04	32, 60	55-251-15-0432	55-273-10-0434	55-630-15-0418
55-230-15-04	32, 60	55-251-20-0432	55-273-13-0434	55-630-20-0418
55-230-20-04	32, 60	55-251-30-0432	55-273-15-0434	55-630-30-0418
55-230-30-04	32, 60	55-252-10-0434	55-274-10-0436	55-631-10-0420
55-231-10-04	32	55-252-13-0434	55-274-13-0436	55-631-13-0420
55-231-13-04	32	55-252-15-0434	55-274-15-0436	55-631-15-0420
55-231-15-04	32	55-253-10-0434	55-274-20-0436	55-632-10-0422
55-231-20-04	32	55-253-13-0434	55-274-30-0436	55-632-13-0422
55-231-30-04	32	55-253-15-0434	55-275-10-0436	55-632-15-0422
55-232-10-04	34, 61	55-254-10-0436	55-275-13-0436	55-632-20-0422
55-232-13-04	34, 61	55-254-13-0436	55-275-15-0436	55-632-30-0422
55-232-15-04	34, 61	55-254-15-0436	55-275-20-0436	55-640-10-0418
55-233-10-04	34	55-254-20-0436	55-275-30-0436	55-640-13-0418
55-233-13-04	34	55-254-30-0436	55-280-00-0438	55-640-15-0418
55-233-15-04	34	55-255-10-0436	55-280-10-0432	55-640-20-0418
55-234-10-04	36, 62	55-255-13-0436	55-280-13-0432	55-640-30-0418
55-234-13-04	36, 62	55-255-15-0436	55-280-15-0432	55-641-10-0420
55-234-15-04	36, 62	55-255-20-0436	55-280-20-0432	55-641-13-0420
55-234-20-04	36, 62	55-255-30-0436	55-280-30-0432	55-641-15-0420
55-234-30-04	36, 62	55-260-00-0438	55-281-10-0432	55-642-10-0422
55-235-10-04	36	55-260-10-0432	55-281-13-0432	55-642-13-0422
55-235-13-04	36	55-260-13-0432	55-281-15-0432	55-642-15-0422

55-642-20-04	22	55-806-26-04	46, 48	55-864-01-04	41, 45
55-642-30-04	22	55-806-30-04	46, 49	55-864-02-04	41, 45
55-803-10-04	53	55-806-31-04	49	55-864-03-04	45
55-803-15-04	53	55-806-32-04	48, 49	55-864-04-04	45
55-803-20-04	53	55-806-33-04	49	55-864-10-04	41, 45
55-803-30-04	52	55-806-40-04	49	55-864-11-04	41, 45
55-804-00-04	19, 21, ...23, 33, 35, 37, 45, 63	55-806-41-04	49	55-864-12-04	41, 45
55-804-24-01	19, 33,44, 66	55-806-50-04	49	55-864-13-04	41, 45
55-804-25-01	19, 33,44, 66	55-806-51-04	49	55-864-14-04	41, 45
55-804-26-01	19, 33,44, 66	55-806-90-07	46, 49	55-864-15-04	41, 45
55-804-27-01	19, 33,44, 66	55-806-91-07	46, 49	55-864-16-04	41, 45
55-804-41-01	21, 35,44, 66	55-806-92-04	49	55-864-17-04	41, 45
55-804-43-01	21, 35,44, 66	55-807-24-04	19, 33	55-864-18-04	41, 45
55-804-44-01	21, 35,44, 66	55-807-25-04	19, 33	55-864-19-04	41, 45
55-804-45-01	21, 35,44, 66	55-807-41-04	21, 35	55-864-30-04	45
55-804-49-01	23, 37,44, 67	55-807-42-04	21, 35	55-864-40-04	45
55-804-50-01	23, 37,44, 67	55-807-54-04	23, 37	55-864-41-04	45
55-804-51-01	23, 37,44, 67	55-807-55-04	23, 37	55-864-50-04	45
55-804-54-01	23, 37,44, 68	55-808-20-01	50, 72	55-864-51-04	45
55-804-55-01	23, 37,44, 67	55-808-21-01	50, 72	55-865-15-04	55
55-804-56-01	23, 37,44, 67	55-808-24-01	19, 33,44, 70	55-868-15-04	55
55-804-57-01	23, 37,44, 67	55-808-48-01	23, 37,44, 71	55-868-40-01	25, 39
55-805-28-01	19, 33,44	55-808-70-01	21, 35,44, 70	55-869-40-01	25, 39
55-805-45-01	21, 35,44	55-808-75-01	23, 37,44, 71	55-881-40-01	25, 39
55-805-52-01	23, 37,44	55-811-24-01	19, 33,44, 68	55-890-15-01	54
55-805-58-01	23, 37,44	55-811-25-01	19, 33,44, 68	55-890-30-01	54
55-806-02-04	49	55-811-26-01	19, 33,44, 68	55-891-40-01	53
55-806-05-04	48	55-811-41-01	21, 35,44, 68	55-891-41-01	53
55-806-06-04	46, 48	55-811-51-01	23, 37,44, 69	55-996-03-04	50
55-806-07-04	46, 48	55-811-52-01	23, 37,44, 69	55-996-04-04	50
55-806-08-04	48	55-811-53-01	23, 37,44, 69	55-996-05-04	50
55-806-09-04	48	55-811-54-01	23, 37,44, 69	55-996-06-04	50
55-806-10-04	46, 48	55-811-55-01	23, 37,44, 69	55-996-07-04	50
55-806-11-04	48	55-811-56-01	23, 37,44, 69	55-996-08-04	50
55-806-12-04	48	55-811-57-01	23, 37,44, 69	55-996-09-04	50
55-806-20-04	48	55-811-58-01	23, 37,44, 69	55-996-10-04	45
55-806-21-04	48	55-811-59-01	23, 37,44, 69	55-996-12-04	50
55-806-25-04	46, 48	55-811-60-01	23, 37,44, 69	55-996-13-04	50
		55-811-61-01	23, 37,44, 69	55-996-14-04	50
		55-811-62-01	23, 37,44, 69	55-996-15-04	50
		55-811-63-01	23, 37,44, 69	55-996-16-04	50
		55-811-64-01	23, 37,44, 69	55-996-17-04	50
		55-811-65-01	23, 37,44, 69	55-996-18-04	50
		55-811-66-01	23, 37,44, 69	55-996-24-01	25, 39
		55-811-67-01	23, 37,44, 69	55-996-27-01	55
		55-811-68-01	23, 37,44, 69	55-996-48-04	25
		55-811-69-01	23, 37,44, 69	55-996-76-04	41
		55-811-70-01	23, 37,44, 69	55-996-77-04	41
		55-811-71-01	23, 37,44, 69	55-996-82-04	25
		55-811-72-01	23, 37,44, 69	55-996-83-04	25
		55-811-73-01	23, 37,44, 69	55-996-84-04	39
		55-811-74-01	23, 37,44, 69	55-996-85-04	39
		55-811-75-01	23, 37,44, 69	55-998-01-01	54
		55-811-76-01	23, 37,44, 69	55-998-02-01	54
		55-811-77-01	23, 37,44, 69	55-998-03-01	54
		55-811-78-01	23, 37,44, 69	55-998-04-01	55
		55-811-79-01	23, 37,44, 69	55-998-05-01	55
		55-811-80-01	23, 37,44, 69	55-998-07-01	55

KLS Martin Group

KLS Martin France SARL
68200 Mulhouse · France
Tel. +33 3 89 51 3150
france@klsmartin.com

KLS Martin UK Ltd.
Reading RG1 3EU · United Kingdom
Tel. +44 1189 000 570
uk@klsmartin.com

Martin Italia S.r.l.
20864 Agrate Brianza (MB) · Italy
Tel. +39 039 605 6731
italia@klsmartin.com

Nippon Martin K.K.
Osaka 541-0046 · Japan
Tel. +81 6 62 28 9075
nippon@klsmartin.com

Martin Nederland/Marned B.V.
1271 AG Huizen · The Netherlands
Tel. +31 35 523 45 38
nederland@klsmartin.com

KLS Martin L.P.
Jacksonville, FL 32246 · USA
Tel. +1 904 641 77 46
usa@klsmartin.com

KLS Martin do Brasil Ltda.
CEP 04.531-011 São Paulo · Brazil
Tel.: +55 11 3554 2299
brazil@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
121471 Moscow · Russia
Tel. +7 499 792-76-19
russia@klsmartin.com

KLS Martin Australia Pty Limited
Artarmon NSW 2064 · Australia
Tel.: +61 2 9439 5316
australia@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
201203 Shanghai · China
Tel. +86 21 5820 6251
china@klsmartin.com

KLS Martin SE Asia Sdn. Bhd.
14100 Simpang Ampat, Penang · Malaysia
Tel.: +604 505 7838
malaysia@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
Dubai · United Arab Emirates
Tel. +971 4 454 16 55
middleeast@klsmartin.com

Gebrüder Martin GmbH & Co. KG
A company of the KLS Martin Group
KLS Martin Platz 1 · 78532 Tuttlingen · Germany
Postfach 60 · 78501 Tuttlingen · Germany
Tel. +49 7461 706-0 · Fax +49 7461 706-193
info@klsmartin.com · www.klsmartin.com

