





WD 150/WD 425 WD 290/WD 290 IQ/WD 390

Racks and Auxiliaries



Engineers of Confidence.

We develop something bigger than all the products and services we deliver. At the heart of Belimed is the constant desire to build trust. We are Engineers of Confidence. We provide complete peace of mind for our customers to protect the lives of patients and staff.



WD 150/WD 425

8	Racks	

- 8 Racks for Instruments
- 8 Rack for MIS Instruments
- 8 Rack for Anesthesia Instruments 9
- Rack for OR Shoes
- 9 Rack for Dental Instruments 9 Rack for ENT Instruments
- 9
- Rack for Laboratory Applications
- 10 Racks for Baby Bottles
- 10 **Rack Inserts**

Auxiliaries 11

- 11 Auxiliaries – Racks/Instruments
- 12 System Trays
- Auxiliaries Racks for MIS Instruments 13
- Auxiliaries Racks for Laboratory Applications 16
- 17 Auxiliaries - Racks for Baby Bottles
- 19 Rack Ports and Flushing Manifolds
- 21 Product Connectors
- Port Adapters 22
- 25 LLF Adapters
- 27 **Replacement Parts**

WD 290/WD 290 IQ/WD 390

32 Racks

- 32 Racks for Instruments 33 Adaptable Racks for Instruments 34 ECO Racks for Instruments 35 **Racks for Containers**
- 36 **Racks for MIS Instruments** 37 Racks for da Vinci Instruments
- 38 Racks for Anesthesia Instruments
- 38 Rack for Dental Instruments
- 39 **Racks for Laboratory Applications**

40 **Auxiliaries**

- 40 Auxiliaries - WD 290/WD 290 IQ/WD 390
- 41 Auxiliaries – Racks/Instruments
- 42 System Trays
- 43 Auxiliaries – Racks for MIS Instruments
- Auxiliaries Racks for Laboratory Applications 46
- 47 Auxiliaries - ECO Racks for Instruments
- 48 Auxiliaries – Baskets
- 51 Auxiliaries – Racks for da Vinci Instruments
- 52 Auxiliaries - Racks for Baby Bottles
- 54 **Mix Trays**
- 55 Rack Ports and Flushing Manifolds
- 56 Flushing tubes
- 58 **Product Connectors**
- 58 Port Adapters
- 62 LLF Adapters
- 64 **Replacement Parts**



WD 150/WD 425

Article number Article Racks for Instruments 870145 **Rack Instruments 2 Level** Rack for Instruments Dimensions L x W x H = 540 x 520 x 380 mm 4 possible connections for additional manifolds Loading capacity 4 standard trays (L x W = 485 x 260 mm) Level height H = 292 mm Recommended loading height per level H = 292 mm 870147 **Rack Instruments 3 Level** Rack for Instruments Dimensions L x W x H = 540 x 520 x 380 mm 12 possible connections for additional manifolds Loading capacity 6 standard trays (L x W = $485 \times 260 \text{ mm}$) • Level height H = 119 mm· Recommended loading height per level H = 119 mm 870149 Rack Instruments 4 Level Rack for Instruments · Dimensions L x W x H = 540 x 520 x 430 mm · 14 possible connections for additional manifolds Loading capacity \cdot 8 standard trays (L x W = 485 x 260 mm) · Level height H = 74 mmRecommended loading height per level H = 74 mmRack for MIS Instruments

870064

Rack MIS Basic

Rack for Instruments with Lumens

- \cdot Dimensions L x W x H = 540 x 520 x 452 mm

Loading capacity

- \cdot 2 standard trays (L x W = 485 x 260 mm)
- 2 trays for small parts
- Level height H = 62 mm
- · Recommended loading height per level H = 62 mm
- \cdot Space for 60 instruments up to length L = 450 mm

Rack for Anesthesia Instruments

870078

Rack Anesthesia

- Rack for Anesthesia Material
- Dimensions L x W x H = 540 x 520 x 490 mm
 With tube tower



- Tube tower with 15 connections for breathing tubes Ø 21 mm max. 1.5 m length
- · 3 breathing bags
- 5 breathing masks
- 5 laryngeal masks
- 5 catheter
- · 5 endotracheal tubes
- · Space for other varied instruments

Article

Rack for OR Shoes

109-9422



Rack for Dental Instruments

870092

Rack Dental Instruments

Rack OR Shoes 2 Level Rack for OR Shoes 2 Level

Loading capacity
Upper Level:

Lower Level:

Rack for Dental Instruments

· Dimensions L x W x H = 540 x 520 x 320 mm

 \cdot Dimensions L x W x H = 540 x 525 x 445 mm

10 OR shoes up to size 9.5/11 or 8 OR shoes up to size 13

24 OR shoes up to size 9.5/11 or 20 OR shoes up to size 13 (without upper level)

Loading capacity

· 56 connections for dental instruments

Rack for ENT Instruments

820394

Rack ENT

- Rack for ENT Instruments
- \cdot $\,$ Dimensions L x W x H = 540 x 520 x 452 mm $\,$

Loading capacity

- 2 standard trays (L x W = 485 x 260 mm)
- 9 connections for tubes
- 12 Luer Lock male connections
- 2 Luer Lock female connections
 4 connections for catheters
- 4 connections for catheters
- 3 connections for jets

Rack for Laboratory Applications

870113

Rack LAB Pipettes

Rack for Pipettes

 \cdot Dimensions L x W = 540 x 520 x 340 mm



Loading capacity

· Up to 60 pipettes in a sloped position

870335



Rack for Baby Bottles

- \cdot Dimensions L x W x H = 540 x 520 x 410 mm
- Without inserts

Loading capacity

- Up to 2 inserts for babybottles
- · Additional level for 4 standard trays (L x W = 485 x 260 mm)
- \cdot Level height H = 60 mm

Characteristics

· 42 connections for jets

Rack Inserts

870103

Rack Lower Insert

Rack Insert Lower Level

· Dimensions L x W x H = 540 x 500 x 125 mm

Loading capacity

· Recommended loading height per level H = 500 mm

870084

Rack Lower Insert with Splitgrid

Rack Insert Lower Level with Split Grid

 \cdot Dimensions L x W x H = 540 x 500 x 125 mm

Loading capacity

· Recommended loading height per level H = 500 mm

870080

Rack OR Shoes Lower Insert

Rack Insert Lower Level for OR Shoes

· Dimensions L x W x H = 540 x 500 x 270 mm

Loading capacity

· 24 OR shoes up to size 14

870100

Rack LAB Lower Insert 56 Jets

Rack Insert Lower Level with Jets


- Dimensions L x W x H = 540 x 500 x 350 mm
 Jets included

Loading capacity

56 Spring-plugs for jets







Article

System Trays

System Trays		Rack Instruments
110-0539	System Tray DIN	
	 Dimensions L x W x H = 472 x 236 x 48 mm 4 flexible silicone supports L = 230 mm Silicone cushions 	
110-0540	System Tray 1/2 DIN	
	 Dimensions L x W x H = 236 x 236 x 48 mm 2 flexible silicone supports L = 230 mm Silicone cushions 	
110-0542	System Tray 1/4 DIN	
	 Dimensions L x W x H = 236 x 110 x 48 mm 5 silicone knob supports L = 110 mm Silicone cushions 	•
110-0545	Silicone Cover System Tray DIN	
	 Dimensions L x W x H = 470 x 236 x 15 mm Flexible silicone grid 	•


Article number	Article			
		ients	sic	i Jets
		Rack Instruments	MIS Ba	Rack LAB 56 Jets
Auxiliaries – Racks for MIS Ins	truments	Rack	Rack	Rack
778935-3	MIS Tray			
	Tray with Lid for Detachable MIS Instruments			
A A A A A A A A A A A A A A A A A A A	 Dimensions L x W x H = 485 x 250 x 65 mm Mesh size = 3 x 3 mm 	•		
772521-3	MIS Tray for Small Parts			
	Tray with Lid for Small MIS Instrument Parts			
	 Dimensions L x W x H = 274 x 172 x 42 mm Mesh size = 4 x 4 mm 			
Manager and Andrews		•	•	
870203-3	Cap for Spring-Plug			
	Cap to close Spring-Plugs which are not in use			
0			•	•
870038	Jet L90 D4 Spring-Plug			
	Spring-Plug Jet			
-	· Dimensions D = Ø 4 mm, L = 90 mm			
and the second s			•	•
870039	Jet L150 D4 Spring-Plug			
and the second s	Spring-Plug Jet \cdot Dimensions D = Ø 4 mm, L = 150 mm			
100				
~				
870040	Jet L190 D6 Spring-Plug			
	Spring-Plug Jet			
and the second s	• Dimensions $D = \emptyset 6 \text{ mm}$, $L = 190 \text{ mm}$			
			•	•

Article

Auxiliaries – Racks for MIS Inst	ruments	Rack MIS Basic	Rack LAB 56 Jets
870041	Jet L300 D8 Spring-Plug		
	Spring-Plug Jet • Dimensions D = Ø 8 mm, L = 300 mm		
686429	Plug for MIS Basic Silicone Insert		
	Plug to close Silicone Insert when not in use		
175892	Jet L30 D3 Silicone Insert		
	Silicone Insert Jet Dimensions D = Ø 3 mm, L = 30 mm 	•	
175893	Jet L30 D4 Silicone Insert		
	Silicone Insert Jet • Dimensions D = \emptyset 4 mm, L = 30 mm		
175955	Jet L45 D3 Silicone Insert		
And the second se	Silicone Insert Jet • Dimensions D = \emptyset 3 mm, L = 45 mm	•	
175956	Jet L45 D4 Silicone Insert		
	Silicone Insert Jet • Dimensions D = \emptyset 4 mm, L = 45 mm	•	

Rack Anesthesia Rack MIS Basic

•



Auxiliaries – Racks for MIS Instruments 870043 Jet Multi Diameter Silicone Insert Silicone Insert Jet · Includes different diameters for tubes · Dimensions D1 = Ø 4 mm, D2 = Ø 6 mm, D3 = Ø 8 mm, D4 = Ø 10 mm 870046 Tube Reel Tube Reel for Reprocessing Tubes

817733

Tube Holder L100

Tube Holder L170

Tube Holder for Suction Tubes · Dimension L = 170 mm

818707


Article number

Article

Article

Auxiliaries – Racks for Laboratory Applications

Auxiliaries – Racks for Laborato	ory Applications	Rack LAB 56 Jets
870206-3	Jet L180 LAB Spring-Plug	
	 Spring-Plug Jet Dimensions D = Ø 4 mm, L = 180 mm Includes jet attachment for lab applications 	•
870212-3	Jet L240 LAB Spring-Plug	
	 Spring-Plug Jet Dimensions D = Ø 6 mm, L = 240 mm Includes jet attachment for lab applications 	•
870208	Jet L300 LAB Spring-Plug	
6	 Spring-Plug Jet Dimensions D = Ø 8 mm, L = 300 mm Includes jet attachment for lab applications 	•



Article

Auxiliaries – Racks for Baby Bottles

Auxiliaries – Racks for Baby Bo	ttles	Rack Instruments 2 Level	Rack Baby Bottles
817313	Basket Wideneck Baby Bottle Nipples		
	Basket with Lid for Wideneck Baby Bottle Nipples		
Million Million	 Dimensions L x W x H = 427 x 187 x 61 mm Mesh size = 10 x 10 mm 		
	 Loading capacity 36 wideneck baby bottle nipples Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•
812260	Basket Baby Bottle Covers		
	Basket with Lid for Baby Bottle Covers		
	 Dimensions L x W x H = 427 x 187 x 19 mm Mesh size = 10 x 10 mm Loading capacity 36 baby bottle covers Up to 6 baskets for WD 290/WD 290 IQ/WD 390 		•
812060	Basket Milk Pumps		
	Basket with Lid for Milk Pumps		
	· Dimensions L x W x H = 427 x 187 x 136 mm		
The second secon	 Loading capacity 10 milk pumps Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•

Article number	Article
Rack Ports and Flushing Mar	ifolds
110-0523	Connector Rack for Flushing Manifold
	 Rack connector self closing, for flushing manifolds and port adapters Suitable for spring-plug flushing port on the rack
110-0524	Connector Rack M8 for Flushing Manifold
	 Rack connector self closing, for flushing manifolds and port adapters Suitable for M8 port on the rack
110-0526	Flushing Manifold for Port Adapter
	 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"
110-0527	Flushing Manifold FX for Port Adapter
	 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" With tray fixation (FX) Includes L-Key TX25

Article

Rack Ports and Flushing Manifolds

11 11

110-0528

Flushing Manifold for LLF Adapter

- 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter .
- · Silicone tube $D = \emptyset$ 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"

110-0529



- . 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter
- Silicone tube $D = \emptyset 6$ mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" •
- \cdot With tray fixation (FX)
- Includes L-Key TX25

110-0530



Manifold FX Filter for LLF Adapter

- 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter
- Silicone tube $D = \emptyset 6 \text{ mm}$, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" .
- With tray fixation (FX) .

.

- · With integrated filter
- · Includes L-Key TX25

110-0525

Filter Cylinder FX for LLF Adapter

- 4 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter
- Silicone tube $D = \emptyset$ 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" •
- \cdot With tray fixation (FX)
- · With integrated filter



Article number	Article
	Anticle
Product Connectors	
110-0531	Product Connector LLM with Port Adapter
	 Port adapter suitable for port caps, D = Ø 5 mm, green Luer Lock Male (LLM) connector Silicone tube D = Ø 4 mm, L = 300 mm
110-0532	Product Connector LLF with Port Adapter
	 Port adapter suitable for port caps, D = Ø 5 mm, green Luer Lock Female (LLF) connector Silicone tube D = Ø 4 mm, L = 300 mm
110-0533	Product Connector 2 x LLF
	 2 Luer Lock Female (LLF) connectors Silicone tube D = Ø 4 mm, L = 300 mm
110-0534	Product Connector LLF and LLM
	 Luer Lock Female (LLF) connector Luer Lock Male (LLM) connector Silicone tube D = Ø 4 mm, L = 300 mm

Port Adapters

1023228



Port Adapter Module+ grey

- 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm
 6 port adapters D = Ø 10 mm
 Premounted as port adapter
 Port Adapters can be connected to the port caps Module+

Port Adapters

110-0551

Port Adapter D2 Red

Article

- · 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm
- 6 port adapters $D = \emptyset$ 10 mm
- · Premounted as port adapter

110-0552



$\cdot~$ 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm 6 port adapters $D = \emptyset$ 10 mm •

Port Adapter D3 Blue

Premounted as port adapter

110-0554



Port Adapter D4-8 Grey

- $\cdot~$ 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm
- 6 port adapters $D = \emptyset$ 10 mm ·
- · Premounted as port adapter

110-0555



Port Adapter Caps punched Natural

- · 6 port caps punched, natural
- · 6 port adapter with tapered jet
- Premounted as port adapter

110-0557



Port Adapter open D8 Natural

- · 6 port caps open, $D = \emptyset$ 8 mm, natural, for instruments up to $D = \emptyset$ 9 mm
- 6 port adapters $D = \emptyset$ 10 mm
- · Premounted as port adapter

110-0565



Port Adapter open D10 Blue

- 6 port caps open, $D = \emptyset$ 10 mm, blue, for instruments up to $D = \emptyset$ 11 mm
- 6 port adapters $D = \emptyset$ 12 mm
- Premounted as port adapter



Article number Article **Port Adapters** 110-0566 Port Adapter open D4-8 Grey 6 port caps open, $D = \emptyset$ 4-8 mm, grey, for instruments $D = \emptyset$ 3-9 mm . . 6 port adapters $D = \emptyset$ 12 mm · Premounted as port adapter 110-0567 Port Adapter LLF · 6 port adapters Luer Lock Female (LLF) with port adapter 110-0568 Port Adapter LLM · 6 port adapters Luer Lock Male (LLM) with port adapter 110-0569 Port Adapter Catheter D7 · Port adapter catheter D = Ø 7 mm, L = 310 mm, perforated, with port adapter

110-0570



Port Adapter Catheter D10

 $\cdot~$ Port adapter catheter D = Ø 10 mm, L = 310 mm, perforated, with port adapter

110-0571



Port Adapter Phaco

- · Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap
- Port adapter $D = \emptyset \ 10 \ mm$
- · Luer Lock Female (LLF) connector
- · Luer Male (LM) connector
- · Premounted as port adapter
- · For phaco eye instrument set

Racks and Auxiliaries	
Article number	Article
Port Adapters	
110-0572	Port Adapter 2 x LLM
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 10 mm 2 Luer Lock Male (LLM) connectors Premounted as port adapter
110-0573	Port Adapter 2 x D4-8 Grey
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 12 mm 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Premounted as port adapter
110-0574	Port Adapter 2 x Tapered Jet
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 10 mm 2 tapered jets Premounted as port adapter
110-0587	Port Adapter Jet L80
	· 3 port adapter jets D = Ø 3 mm, L = 80 mm, with port adapter
110-0588	Port Adapter Jet L120
	· 3 port adapter jets D = Ø 4 mm, L = 120 mm, with port adapter
110-0589	Port Adapter Jet L180

24

Port Adapter Jet L180

 $\cdot \ \ 3$ port adapter jets D = Ø 6 mm, L = 180 mm, with port adapter

LLF Adapters

1023229



110-0575



110-0576



Article

LLF Adapter Module+ grey

- 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm
- 6 port adapters $D = \emptyset$ 10 mm • .
- Premounted as LLF adapter
- . Port Adapters can be connected to the port caps Module+

LLF Adapter D2 Red

- 6 port caps self closing, $D = \emptyset$ 2 mm, red, for instruments up to $D = \emptyset$ 3 mm
- 6 LLF port adapters $D = \emptyset$ 10 mm
- . Premounted as LLF adapter

LLF Adapter D3 Blue

· 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm

 $\cdot~$ 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm

- 6 LLF port adapters $D = \emptyset$ 10 mm
- Premounted as LLF adapter

110-0577



LLF Adapter D5 Green

LLF Adapter D4-8 Grey

. .

- \cdot 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm
- 6 LLF port adapters $D = \emptyset$ 10 mm
- Premounted as LLF adapter

110-0578



110-0579



110-0580



LLF Adapter Cap punched Natural

6 LLF port adapters $D = \emptyset$ 10 mm

Premounted as LLF adapter

- · 6 port caps punched, natural
- · 6 LLF port adapters with tapered jet
- Premounted as LLF adapter

LLF Adapter open D8 Natural


- · 6 port caps open, $D = \emptyset$ 8 mm, natural, for instruments up to $D = \emptyset$ 9 mm
- 6 LLF port adapters $D = \emptyset$ 10 mm
- Premounted as LLF adapter

Article number	Article
LLF Adapters	
110-0581	LLF Adapter open D10 Blue
	 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm 6 LLF port adapters D = Ø 12 mm Premounted as LLF adapter
110-0582	LLF Adapter open D4-8 Grey
	 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm 6 LLF port adapters D = Ø 12 mm Premounted as LLF adapter
110-0583	LLF Adapter Phaco
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap LLF port adapter D = Ø 10 mm Luer Lock Female (LLF) connector Luer Male (LM) connector Premounted as LLF adapter For phaco eye instrument set
110-0584	LLF Adapter 2 x LLM
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap LLF port adapter D = Ø 10 mm 2 Luer Lock Male (LLM) port Premounted as LLF adapter
110-0585	LLF Adapter 2 x D4-8 Grey
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap LLF port adapter D = Ø 12 mm 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Premounted as LLF adapter
110-0586	LLF Adapter 2 x Tapered Jet
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap LLF port adapter D = Ø 10 mm 2 tapered jets Premounted as LLF adapter

Article number	Article
Replacement Parts	
110-0645	Replacement Standard Filtration Blue
and draft and	 3 filter sets with each 1 filter and 1 silicone ring, blue Standard filtration for lumened instruments Mesh size 0.13-0.14 mm
110-0590	Replacement Fine Filtration Red
arré arré arré	 3 filter sets with each 2 filters and 1 silicone ring, red Fine filtration for lumened instruments with high requirements Mesh size below 0.08 mm
1023230	Replacement Port Caps Module+ grey
	 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 10 mm
110-0592	Replacement Port Caps D2 Red
	 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm Suitable for port adapter D = Ø 10 mm
110-0593	Replacement Port Caps D3 Blue
	 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm Suitable for port adapter D = Ø 10 mm
110-0594	Replacement Port Caps D5 Green
	 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Suitable for port adapter D = Ø 10 mm and flushing manifold
110-0596	Replacement Port Caps D4-8 Grey
	 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 10 mm

Article number	Article
Replacement Parts	
110-0597	Replacement Port Caps punched Natural
	 6 port caps punched, natural Suitable for port adapter cap punched natural
110-0598	Replacement Port Caps open D8 Natural
	 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm Suitable for port adapter D = Ø 10 mm
110-0599	Replacement Port Caps open D10 Blue
	 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm Suitable for port adapter D = Ø 12 mm
110-0646	Replacement Port Caps open D4-8 Grey
	 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 12 mm
110-0601	Replacement Silicone Tubes L300
00000	 10 silicone tubes, D = Ø 4 mm, L = 300 mm Suitable for "Product Connectors"
110-0602	Replacement Silicone Tubes L200
00000	 5 double silicone tubes 2 x D = Ø 2 mm, L = 200 mm, with attached port cap With silicone tube cuffs Suitable for adapters
110-0603	Replacement Silicone Tubes L600
0000	 5 silicone tubes D = Ø 6 mm, L = 600 mm Suitable for "Flushing Manifolds" and "Filter Cylinder"

Article number	Article
Replacement Parts	
1005264	Replacement Silicone Tubes L2000
	 1 silicone tube D = Ø 4 mm, L = 2000 mm Suitable for "Product Connectors" for individual length
110-0604	Replacement Silicone Supports L230
	 4 flexible silicone supports L = 230 mm Includes mounting Suitable for one "System Tray DIN" Suitable for two "System Trays 1/2 DIN"
110-0605	Replacement Silicone Supports L110
	 5 silicone knob supports L = 110 mm Suitable for two "System Trays 1/4 DIN"
110-0606	Replacement Silicone Supports L160
	 4 flexible silicone supports L = 160 mm Suitable for one "Mix Tray" with 2 instrument lifts
110-0607	Replacement Silicone Cushions
88888	 10 silicone cushions Suitable for trays and other applications
110-0608	Replacement Silicone Tray Fixation
	 10 silicone elements Suitable for fixation of cassettes within a "System Tray" or "Mix Tray"
110-0609	Replacement Silicone Flaps Mix
0000	 4 silicone flaps for Mix Tray connector Suitable for Rack MIS Multitop and Rack Mixed Instruments



WD 290/WD 290 IQ/WD 390

Article number	Article
Racks for Instruments	
109-3683	Rack Instruments 1 Level
	 Rack for Inserts Dimensions L x W x H = 750 x 610 x 60 mm Loading capacity 3 standard trays (L x W = 485 x 260 mm) Level height H = 610 mm Recommended loading height per level H = 600 mm
647457	Rack Instruments 2 Level
	 Rack for Instruments and Inserts Dimensions L x W x H = 750 x 610 x 393 mm 2 possible connections for additional manifolds Fast and toolless wash arm cleaning Loading capacity 6 standard trays (L x W = 485 x 260 mm) Level height H = 282 mm Recommended loading height per level H = 270 mm
647456	Rack Instruments 3 Level
	 Rack for Instruments Dimensions L x W x H = 750 x 610 x 505 mm 4 possible connections for additional manifolds Fast and toolless wash arm cleaning Loading capacity 9 standard trays (L x W = 485 x 260 mm) Level height H = 172 mm Recommended loading height per level H = 160 mm

647455

Rack Instruments 4 Level

Rack for Instruments

- · Dimensions L x W x H = 750 x 610 x 560 mm
- · 6 possible connections for additional manifolds
- Fast and toolless wash arm cleaning

Loading capacity

- 12 standard trays (L x W = 485 x 260 mm)
 Level height H = 116 mm
- · Recommended loading height per level H = 105 mm

647454

Rack Instruments 5 Level

Rack for Instruments

- · Dimensions L x W x H = 750 x 610 x 580 mm
- · 8 possible connections for additional manifolds
- Fast and toolless wash arm cleaning

- Loading capacity · 15 standard trays (L x W = 485 x 260 mm)
- Level height H = 83 mm
- \cdot Recommended loading height per level H = 70 mm

Mar	
E	

Article

Racks for Instruments

647452

Rack Instruments 6 Level

Rack for Instruments

- · Dimensions L x W x H = 750 x 610 x 612 mm
- 10 possible connections for additional manifolds
- Fast and toolless wash arm cleaning

Loading capacity

- \cdot 18 standard trays (L x W = 485 x 260 mm)
- Level height H = 61 mm
- \cdot Recommended loading height per level H = 50 mm

Adaptable Racks for Instruments

109-2984

Rack Instruments 4 Level Adaptable

Rack for Instruments

- Dimensions L x W x H = 750 x 610 x 560 mm
- · 6 possible connections for additional manifolds
- · Fast and toolless wash arm cleaning
- 2 removable levels

Loading capacity

- \cdot 12 standard trays (L x W = 485 x 260 mm)
- · Level height H = 116 mm/282 mm/448 mm
- \cdot Recommended loading height per level H = 105 mm/270 mm/435 mm

647232

Rack Instruments 5 Level Adaptable

Rack for Instruments

- · Dimensions L x W x H = 750 x 610 x 580 mm
- · 8 possible connections for additional manifolds
- · Fast and toolless wash arm cleaning
- · 2 removable levels

- \cdot 15 standard trays (L x W = 485 x 260 mm)
- Level height H = 83 mm/215 mm
- · Recommended loading height per level H = 70 mm/205 mm



Article number Article ECO Racks for Instruments 870068-3 **Rack Instruments 2 Level ECO** Rack for Instruments and Inserts · Dimensions L x W x H = 750 x 610 x 485 mm · Minimal water consumption Loading capacity 6 standard trays (L x W = 485 x 260 mm) Level height H = 293 mm Recommended loading height per level H = 280 mm 870070-3 **Rack Instruments 3 Level ECO** Rack for Instruments Dimensions L x W x H = 750 x 610 x 495 mm 2 possible connections for ECO side manifold . Minimal water consumption Loading capacity • 9 standard trays (L x W = $485 \times 260 \text{ mm}$) \cdot Level height H = 180 mm Recommended loading height per level H = 170 mm 870072-3 Rack Instruments 4 Level ECO

Rack for Instruments

- · Dimensions L x W x H = 750 x 610 x 550 mm
- 2 possible connections for ECO side manifold .
- · Minimal water consumption

Loading capacity

- 12 standard trays (L x W = $485 \times 260 \text{ mm}$)
- Level height H = 127 mm
- · Recommended loading height per level H = 115 mm

Rack Instruments 5 Level ECO

Rack for Instruments

- · Dimensions L x W x H = 750 x 610 x 584 mm
- 2 possible connections for ECO side manifold .
- · Minimal water consumption

Loading capacity

- 15 standard trays (L x W = 485 x 260 mm)
 Level height H = 94 mm
- · Recommended loading height per level H = 80 mm

870076-3

870074-3

Rack Instruments 6 Level ECO

Rack for Instruments

- Dimensions L x W x H = 750 x 610 x 605 mm
- 2 possible connections for ECO side manifold
- Minimal water consumption

- 18 standard trays (L x W = $485 \times 260 \text{ mm}$)
- Level height H = 70 mm
- Recommended loading height per level H = 60 mm





Article

Racks for Containers

870010



646733



870030-3

870008-3

Rack Containers/Instruments 2 Level

Rack for Containers and Instruments

- · Dimensions L x W x H = 750 x 610 x 580 mm
- · Includes spheric jets for interior cleaning of containers

Loading capacity

- 3 DIN containers (L x W x H = 600 x 300 x 150 mm) with one-part lids 6 standard trays (L x W = 485 x 260 mm)
- .
- Level height H = 100 mm.
- Recommended loading height per level H = 90 mm

Rack Containers 1 Level

Rack for large Containers

- Dimensions L x W x H = 750 x 610 x 330 mm
- Includes spheric jets for interior cleaning of containers

Loading capacity

4 DIN containers (L x W x H = $600 \times 300 \times 300$ mm) with one-part lids

Rack Containers One-Part Lid

Rack for Containers with One-Part Lids

- · Dimensions L x W x H = 750 x 610 x 538 mm
- · Includes spheric jets for interior cleaning of containers

Loading capacity

- \cdot 5 DIN containers (L x W x H = 600 x 300 x 150 mm) with one-part lids
- or · 1 DIN container (L x W x H = 600 x 300 x 150 mm) with one-part lid
- 2 DIN containers (L x W x H = 600 x 300 x 300 mm) with one-part lids

Rack Containers Two-Part Lid

Rack for Containers with Two-Part Lids

- · Dimensions L x W x H = 750 x 610 x 538 mm
- · Includes spheric jets for interior cleaning of containers

- 5 DIN containers (L x W x H = $600 \times 300 \times 150 \text{ mm}$) with two-part lids or
- 1 DIN container (L x W x H = 600 x 300 x 150 mm) with two-part lid •
- 2 DIN containers (L x W x H = $600 \times 300 \times 300$ mm) with two-part lids

Article number	Article
Racks for MIS Instruments	
647337	Rack Mixed Instruments 4 Level
	Rack for Instruments and various Applications
	 Dimensions L x W x H = 750 x 610 x 670 mm 6 possible connections for additional manifolds 4 possible connections for application specific Mix Trays Loading capacity 12 standard trays (L x W = 485 x 260 mm) Level height H = 110 mm Recommended loading height per level H =100 mm
870088-3	Rack MIS/Instruments
	 Rack for Instruments with Lumens Dimensions L x W x H = 750 x 610 x 540 mm Loading capacity 6 standard trays (L x W = 485 x 260 mm) Level height H = 120 mm Recommended loading height per level H = 110 mm 106 connections for instruments or adapters
865109	Rack MIS Multitop
	Rack for Instruments with Lumens

- Dimensions L x W x H = 750 x 610 x 620 mm .
- 10 possible connections for additional manifolds
- 6 possible connections for application specific Mix Trays .

- Loading capacity 5 standard trays (L x W = 485 x 260 mm)
- Level height H = 67 mm
- \cdot Recommended loading height per level H = 55 mm
- Space for 4 tube reels •

870036-3

Rack MIS Basic

Rack for Instruments with Lumens

- · Dimensions L x W x H = 750 x 610 x 645 mm
- **Loading capacity** 4 standard trays (L x W = 485 x 260 mm)
- 2 trays for small parts
- · Level height H = 68 mm
- Recommended loading height per level H = 60 mm.
- Tube tower with 4 connectors for tubes up to 3 m length (2 with Luer Lock, 2 with stepped jet)
- 18 flush sleeves
- 8 jets for trocar bolts (4 x Ø 3 mm and 4 x Ø 4 mm)
- 18 connectors with Luer Lock
- 22 flush pipes
- •
- 2 connectors for insufflation needles (Luer Lock) 2 connectors for insufflation needles (fine thread) .



Article number Article Racks for da Vinci Instruments 644986 Rack da Vinci Xi Rack for da Vinci Endo Wrist Xi (IS 4000) Instruments from Intuitive Surgical · Not compatible with WD 390 Dimensions L x W x H = $750 \times 610 \times 424 \text{ mm}$ Compatible EndoWrist Instruments: 8 mm and Stapler . Integrated filter system Loading capacity · 6 da Vinci Xi Instruments on lower level Optional extension kit for reprocessing up to 12 da Vinci Xi Instruments . 645011 Rack da Vinci Si



Rack for da Vinci Endo Wrist Si (IS 3000) Instruments from Intuitive Surgical

- Not compatible with WD 390
- Dimensions L x W x H = 750 x 610 x 424 mm .
- Compatible EndoWrist Instruments: 5 mm and 8 mm
- Integrated filter system

- Loading capacity · 6 da Vinci Si Instruments on lower level
- Optional extension kit for reprocessing up to 12 da Vinci Si Instruments Optional extension kit to reprocess da Vinci Si Stapler Instruments
- .

Article number Article Racks for Anesthesia Instruments 814155 **Rack Anesthesia with Tube Tower** Racks for Anesthesia Instruments and Tubes \cdot Dimensions L x W x H = 750 x 610 x 610 mm · With tube tower Loading capacity · Tube tower with 21 connections for breathing tubes (6 for children) . 5 suction tubes, maximum length of 1.5 m 5 breathing bags . 2 CO₂ absorbers . 3 secretion glasses 5 breathing masks . . 5 laryngeal masks · 6 catheters 6 endotracheal tubes . Space for other varied instruments 870238 **Rack Anesthesia** Rack for Anesthesia Instruments Dimensions L x W x H = 750 x 610 x 470 mm . · Without tube tower Loading capacity 7 breathing masks 7 endotracheal tubes . 5 breathing bags . . 10 laryngeal masks . 10 catheters · 20 jet connections · Space for other varied instruments Rack for Dental Instruments

109-8101

Rack Dental Instruments 64 Jets

Rack for Dental Instruments

· Dimensions L x W x H = 750 x 610 x 250 mm



Loading capacity

· 64 connections for dental instruments

Article

Racks for Laboratory Applications

870014-3



870157

Rack LAB 80 Jets

Rack LAB 64 Jets

· Jets included

Loading capacity · 64 Spring-plugs for jets

Rack for Laboratory Applications

Rack for Laboratory Applications

• Dimensions L x W x H = 750 x 610 x 350 mm

· Dimensions L x W x H = 750 x 610 x 355 mm

Jets optional

Loading capacity · 80 Spring-plugs for jets

817569-3

Rack LAB Pipettes

Rack for Pipettes

 \cdot $\,$ Dimensions L x W x H = 750 x 610 x 312 mm $\,$

Loading capacity94 pipettes in a sloped position

• 94 pipettes in a sioped posi

Racks for Baby Bottles

813919

Rack Baby Bottles

Rack for Baby Bottles

· Dimensions L x W x H = 750 x 610 x 495 mm



Loading capacity

- Up to 6 baby bottle inserts
 Additional level for 2 standard trays
- Level height H = 45 mm
- 126 jets on 2 levels

Article

Auxiliaries - WD 290/WD 290 IQ/WD 390

549156

Transport Cart WD 290/WD 290 IQ/WD 390

Transport Cart for Racks WD 290/WD 290 IQ/WD 390

- · Dimensions L x W = 951 x 728 mm
- · Loading height H = 870 mm
- Includes docking mechanism
- May be reprocessed in WD 750/CS 750

836790-3

RFID Set

- RFID Set for Program Identification and Washarm Rotary Control (WRC)
- · 2 sets required per Rack
 - · Required for WRC option

549253

Magnet Holder WRC D16

Washarm Rotary Control (WRC) Magnet for Washarm D = \emptyset 16 mm

· 1 Magnet holder required per washarm



Magnet Holder WRC D16 IQ

Washarm Rotary Control (WRC) Magnet for Washarm $D = \emptyset$ 16 mm

- · 1 Magnet holder required per washarm
- •
- Compatible with WD 290/WD 290 IQ Instrument Racks (Rack Instruments 1/2/3/4/5/6 Level) Compatible with WD 290/WD 290 IQ Adaptable Instrument Racks (Rack Instruments 4/5 Level Adaptable) •



Article number	Article						
Auxiliaries – Racks/Instruments		Rack Instruments	Rack Instruments ECO	Rack Containers/Instruments	Rack Mixed Instruments	Rack MIS/Instruments	Rack Anesthesia
593993-3	DIN Tray 1/1 H50						
ATTACTION	 Tray for Instruments Dimensions L x W x H = 485 x 260 x 50 mm Mesh size = 4 x 4 mm 	•	•		•	•	
870160	DIN Tray 1/1 H80						
	 Tray for Instruments Dimensions L x W x H = 485 x 260 x 80 mm Mesh size = 4 x 4 mm Without lid 	•	•	•	•	•	
870161	Lid for DIN Tray 1/1						
	 Instrument Tray Lid Dimensions L x W x H = 467 x 242 x 6.5 mm Mesh size = 4 x 4 mm 	•	•	•	•	•	
594536	DIN Tray 1/2 H50						
(AREAD)	 Tray for Instruments Dimensions L x W x H = 243 x 260 x 50 mm Mesh size = 4 x 4 mm 	•	•	•	•	•	
678393-3	Tray for Micro Instruments						
	 Tray with Lid for Micro Instruments Dimensions L x W x H = 485 x 250 x 60 mm Mesh size = 1 x 1 mm 		•	•	•	•	
888651-3	AN Tray for Small Parts						
	 Tray for Small Anesthesia Instrument Parts Dimensions L x W x H = 180 x 100 x 100 mm Mesh size = 4 x 4 mm Maximum 2 trays per Rack Anesthesia 		•			•	

Artic	ρ	number	
	6	number	

System Trays		Rack Instruments	Rack Instruments ECO	Rack Containers/Instruments	Rack Mixed Instruments	Rack MIS/Instruments
110-0539	System Tray DIN	~	22	2	2	8
	 Dimensions L x W x H = 472 x 236 x 48 mm 4 flexible silicone supports L = 230 mm Silicone cushions 	•			•	•
110-0540	System Tray 1/2 DIN					
	 Dimensions L x W x H = 236 x 236 x 48 mm 2 flexible silicone supports L = 230 mm Silicone cushions 	•	•	•	•	•
110-0542	System Tray 1/4 DIN					
	 Dimensions L x W x H = 236 x 110 x 48 mm 5 silicone knob supports L = 110 mm Silicone cushions 	•			•	•
110-0545	Silicone Cover System Tray DIN					
	 Dimensions L x W x H = 470 x 236 x 15 mm Flexible silicone grid 	•	•	•	•	•

Article number	Article								
Auxiliaries – Racks for MIS Instr	ruments	Rack Instruments	Rack Instruments ECO	Rack Mixed Instruments	Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack LAB 64 Jets	Rack LAB 80 Jets
778935-3	MIS Tray								
	 Tray with Lid for Detachable MIS Instruments Dimensions L x W x H = 485 x 250 x 65 mm Mesh size = 3 x 3 mm 	•	•	•	•	•	•		
772521-3	MIS Tray for Small Parts								
	 Tray with Lid for Small MIS Instrument Parts Dimensions L x W x H = 274 x 172 x 42 mm Mesh size = 4 x 4 mm 	•	•	•	•	•	•		
870203-3	Cap for Spring-Plug								
C	Cap to close Spring-Plugs which are not in use				•	•	•	•	•
870038	Jet L90 D4 Spring-Plug								
- Contraction of the second se	Spring-Plug Jet · Dimensions D = Ø 4 mm, L = 90 mm				•	•	•	•	•
870039	Jet L150 D4 Spring-Plug								
No. of Contract of	Spring-Plug Jet • Dimensions D = Ø 4 mm, L = 150 mm						•		•
870040	Jet L190 D6 Spring-Plug								
25	Spring-Plug Jet • Dimensions D = Ø 6 mm, L = 190 mm				•	•	•	•	•

Racks and Auxiliaries

Article number	Article					
		Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack LAB 64 Jets	Rack LAB 80 Jets
Auxiliaries – Racks for MIS Ir	nstruments	Rack	Rack	Rack	Rack	Rack
870041	Jet L300 D8 Spring-Plug Spring-Plug Jet • Dimensions D = Ø 8 mm, L = 300 mm		•	•	•	•
686429	Plug for MIS Basic Silicone Insert					
**	Plug to close Silicone Insert when not in use	•		•		
175892	Jet L30 D3 Silicone Insert					
	Silicone Insert Jet Dimensions D = Ø 3 mm, L = 30 mm 	•				
175893	Jet L30 D4 Silicone Insert					
	Silicone Insert Jet Dimensions D = Ø 4 mm, L = 30 mm 	•		•		
175955	Jet L45 D3 Silicone Insert					
	Silicone Insert Jet • Dimensions D = Ø 3 mm, L = 45 mm	•		•		
175956	Jet L45 D4 Silicone Insert					
	Silicone Insert Jet · Dimensions D = Ø 4 mm, L = 45 mm	•		•		

Article number	Article				
Auxiliaries – Racks for MIS Inst	ruments	Rack MIS/Instruments	Rack MIS Multitop	Rack MIS Basic	Rack Anesthesia
870043	Jet Multi Diameter Silicone Insert				
	 Silicone Insert Jet Includes different diameters for tubes Dimensions D1 = Ø 4 mm, D2 = Ø 6 mm, D3 = Ø 8 mm, D4 = Ø 10 mm 	•		•	
870046	Tube Reel				
	Tube Reel for Reprocessing Tubes		•		
817733	Tube Holder L170				
	Tube Holder for Suction Tubes Dimension L = 170 mm 		•		•
818707	Tube Holder L100				
	Tube Holder for Suction Tubes Dimension L = 100 mm 		•		•

Auxiliaries – Racks for Laborato	ry Applications	Rack LAB 64 Jets	Rack LAB 80 Jets
870206-3	Jet L180 LAB Spring-Plug		
	 Spring-Plug Jet Dimensions D = Ø 4 mm, L = 180 mm Includes jet attachment for lab applications 	•	•
870212-3	Jet L240 LAB Spring-Plug		
	 Spring-Plug Jet Dimensions D = Ø 6 mm, L = 240 mm Includes jet attachment for lab applications 	•	•
870208	Jet L300 LAB Spring-Plug		
	 Spring-Plug Jet Dimensions D = Ø 8 mm, L = 300 mm Includes jet attachment for lab applications 	•	•

WD 290/WD 290 IQ/WD 390

Article number	Article				
Auxiliaries – ECO Racks for Inst	ruments	Rack Instruments 3 Level ECO	Rack Instruments 4 Level ECO	Rack Instruments 5 Level ECO	Rack Instruments 6 Level ECO
		Ra	Ra	Ra	Ra
870094-3	ECO Side Manifold 3 Level				
The second secon	Side Manifold for 3 Level ECO Rack • Maximum 2 side manifolds per rack	•			
870095-3	ECO Side Manifold 4 Level				
and the second s	Side Manifold for 4 Level ECO Rack • Maximum 2 side manifolds per rack		•		
870096-3	ECO Side Manifold 5 Level				
All for the for the former	Side Manifold for 5 Level ECO Rack • Maximum 2 side manifolds per rack			•	
870097	ECO Side Manifold 6 Level				
an an an an and	Side Manifold for 6 Level ECO Rack • Maximum 2 side manifolds per rack				•

Auxiliaries – Baskets		Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Large Size Mesh Basket
771312	Basket for Small Bowls				
	 Dimensions L x W x H = 550 x 320 x 120 mm Loading capacity 15 bowls D = Ø 100 mm per basket 2 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	
769014	Basket for Medium Bowls				
	 Dimensions L x W x H = 550 x 320 x 120 mm Loading capacity 6 bowls D = Ø 160 mm per basket 2 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	
819147-3	Basket for Large Bowls				
	 Dimensions L x W x H = 550 x 335 x 130 mm Loading capacity 2 bowls D = Ø 320 mm per basket 2 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	
772999	Large Size Mesh Basket				
	 Open Basket for Utensils Dimensions L x W x H = 570 x 340 x 185 mm Mesh size = 11 x 11 mm Without lid 	•	•	•	
771303-3	Large Size Mesh Basket Lid				
	 Large Size Mesh Basket Lid to Cover Large Size Mesh Basket Dimensions L x W = 570 x 340 mm Mesh size = 11 x 11 mm 				•
771311	Basket Lab 7 x 12				
	 Basket with 7 x 12 Bars for Glasses and Utensils Dimensions L x W x H = 550 x 320 x 166 mm Contains 84 bars 	•	•	•	

Article number	Article				
Auxiliaries – Baskets		Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Large Size Basket Universal
814650	Basket for Small OR Shoes				
	 Basket for OR Shoes up to Size 9/10.5 Dimensions L x W x H = 570 x 340 x 255 mm Loading capacity 15 OR shoes per basket 2 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	
814649	Basket for Large OR Shoes				
	 Basket for OR Shoes up to Size 12 Dimensions L x W x H = 570 x 340 x 255 mm Loading capacity 9 OR shoes per basket 2 baskets for WD 290/WD 290 IQ/WD 390 	•	Back Instruments 2 Level Rack Instruments 2 Level Rack Instruments 2 Level	•	
870050	Large Size Basket Universal				
	 Basket for Bowls, Kidney Dishes, and Tablets Dimensions L x W x H = 570 x 340 x 230 mm Included 3 split grid inserts 	•	•	•	
870051	Split Grid Insert Large				
	Split Grid Insert for Large Size Basket Universal				•

49

Auxiliaries – Baskets		Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO
818999-3	Basket for Kidney Dishes			
	 Dimensions L x W x H = 570 x 340 x 158 mm Loading capacity 8 kidney dishes per basket 	•	•	•
818213-3	Basket for Tablets			
	 Dimensions L x W x H = 700 x 560 x 190 mm Loading capacity 27 tablets (235 x 150 x 27 mm) per basket 18 tablets (250 x 200 x 51 mm) per basket 	•	•	•
771313	Basket for OR Light Handles			
	 Dimensions L x W x H = 560 x 225 x 190 mm Loading capacity 8 OR light handles D = Ø 120 mm 9 OR light handles D = Ø 75 mm 	•	•	•

Article number	Article		
Auxiliaries – Racks for da Vi	nci Instruments	Rack da Vinci Si	Rack da Vinci Xi
645012	da Vinci Si Extension Kit	-	
	da Vinci Si Instrument Extension Kit		
	 Dimensions L x W x H = 560 x 310 x 265 mm Additional capacity to da Vinci Si rack Extension kit may only be used with da Vinci Si rack 		
	Loading capacity 6 da Vinci Si instruments		
1005297	da Vinci Si Single Site Kit		
	da Vinci Si Instruments Single Site Kit		
-	 Additional to da Vinci Si racks Single Site kit may only be used with da Vinci Si rack 	•	
645370	da Vinci Si Stapler Kit		
	da Vinci Si Instrument Stapler Kit		
8	 Additional to da Vinci Si racks Stapler kit may only be used with da Vinci Si rack 		
	Loading capacity • da Vinci Si Stapler	•	
644997	da Vinci Xi Extension Kit		
	da Vinci Xi Instrument Extension Kit		
All and a second	 Additional capacity to da Vinci Xi racks Extension kit may only be used with da Vinci Xi rack 		
Alt & Frank	Loading capacity 6 da Vinci Xi instruments		•

Auxiliaries –	Racks for	Baby Bottles
---------------	-----------	--------------

Auxiliaries – Racks for Baby Bo	ttles	Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Rack Baby Bottles
817302-3	Basket Baby Bottles 90ml				
	 Basket with Lid for Baby Bottles 90 ml Dimensions L x W x H = 427 x 187 x 114 mm Loading capacity 21 baby bottles, 90 ml Maximum bottle height H = 93 mm Maximum bottle diameter D = Ø 56 mm Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•		•	•
771287-3	Basket Baby Bottles 125ml				
	Basket with Lid for Baby Bottles 125 ml				
	• Dimensions L x W x H = 427 x 187 x 120 mm				
	 Loading capacity 21 bottles, 125 ml Maximum bottle height H = 100 mm Maximum bottle diameter D = Ø 56 mm Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	•
773843	Basket Baby Bottles 250ml				
	 Basket with Lid for Baby Bottles 250 ml Dimensions L x W x H = 427 x 187 x 190 mm Loading capacity 21 bottles, 250 ml Maximum bottle height H = 175 mm Maximum bottle diameter D = Ø 56 mm Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	•
687860	Basket Baby Bottle Nipples				
	 Basket with Lid for Baby Bottle Nipples Dimensions L x W x H = 427 x 187 x 50 mm Mesh size = 10 x 10 mm Ground mesh size = 15 x 15 mm Loading capacity 36 baby bottle nipples Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	•

Article number	Article				
Auxiliaries – Racks for Baby Bo	ttles	Rack Instruments 1 Level	Rack Instruments 2 Level	Rack Instruments 2 Level ECO	Rack Baby Bottles
817313	Basket Wideneck Baby Bottle Nipples				
	 Basket with Lid for Wideneck Baby Bottle Nipples Dimensions L x W x H = 427 x 187 x 61 mm Mesh size = 10 x 10 mm Loading capacity 36 wideneck baby bottle nipples Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	•
812260	Basket Baby Bottle Covers				
	 Basket with Lid for Baby Bottle Covers Dimensions L x W x H = 427 x 187 x 19 mm Mesh size = 10 x 10 mm Loading capacity 36 baby bottle covers Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	•
812060	Basket Milk Pumps				
	 Basket with Lid for Milk Pumps Dimensions L x W x H = 427 x 187 x 136 mm Loading capacity 10 milk pumps Up to 6 baskets for WD 290/WD 290 IQ/WD 390 	•	•	•	•

Article

Mix Tray I

•

.

Mix Tray I for MIS Instruments Long

Mix Tray II for MIS Instruments Short

Includes L-Key TX25

Loading capacity

Includes L-Key TX25

Loading capacity

Mix Tray II

.

Dimensions L x W x H = 530 x 335 x 58 mm

Dimensions L x W x H = $530 \times 335 \times 58 \text{ mm}$

for port adapters and instruments up to $D = \emptyset$ 6 mm

2 "Flushing Tubes Mix for Port Adapters" with a total of 12 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position

Each flushing tube contains 5 port caps self closing, $D = \emptyset$ 5 mm, green,

· 4 "Flushing Tubes Mix for Port Adapters" with a total of 24 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position

Each flushing tube contains 5 port caps self closing, $D = \emptyset$ 5 mm, green,

Each flushing tube contains 1 port cap open, $D = \emptyset$ 4-8 mm, grey, for instruments $D = \emptyset$ 4-8 mm

Mix Trays

110-0546



110-0547



110-0548



110-0550

54

Mix Tray IV

•

Mix Tray IV for Dental Instruments

4 "Flushing Tubes Mix for Dental I" with a total of 24 flushing ports 2 height adjustable instrument lifts to hold instruments in a tilted position . Dimensions L x W x H = $530 \times 335 \times 58 \text{ mm}$. Includes L-Key TX25 Loading capacity 12 port caps self closing, $D = \emptyset$ 5 mm, green, for port adapters and instruments up to $D = \emptyset$ 6 mm . 12 flushing ports for dental instruments

for port adapters and instruments up to $D = \emptyset 6 \text{ mm}$ Each flushing tube contains 1 port cap open, $D = \emptyset$ 4-8 mm, grey, for instruments $D = \emptyset$ 4-8 mm Mix Tray III Mix Tray III for Eye Instruments 2 "Flushing Tubes for Mix Connector Sets" with "Mix Connector Sets Phaco" with a total of 12 flushing ports • 2 "Flushing Tubes Mix Luer Lock" with a total of 12 flushing ports .

2 height adjustable instrument lifts to hold instruments in a tilted position

Dimensions $L \times W \times H = 530 \times 335 \times 58 \text{ mm}$ Includes L-Key TX25

Includes fine filter with mesh size below 0.08 mm

Loading capacity

- · For 6 phaco eye instrument sets, 6 Luer Lock Female (LLF) connectors and 6 Luer Male (LM) connectors
 - Additional 6 Luer Lock Female (LLF) connectors and 6 Luer Lock Male (LLM) connectors

Article number	Article				
Mix Trays		Mix Tray I	Mix Tray II	Mix Tray III	Mix Tray IV
110-0610	Instrument Lift Mix Tray				
	 Height adjustable Instrument Lift To hold instruments in a tilted position 2 flexible silicone support L = 160 mm With silicone cushions for fixation 	•	•	•	•

Article number	Article
Rack Ports and Flushing Manifo	olds
110-0523	Connector Rack for Flushing Manifold
	 Rack connector self closing, for flushing manifolds and port adapters Suitable for spring-plug flushing port on the rack
110-0524	Connector Rack M8 for Flushing Manifold
	 Rack connector self closing, for flushing manifolds and port adapters Suitable for M8 port on the rack
110-0526	Flushing Manifold for Port Adapter
	 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"
110-0527	Flushing Manifold FX for Port Adapter
	 6 flushing ports with self closing caps, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm. Silicone tube D = Ø 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" With tray fixation (FX) Includes L-Key TX25

Article number Article Rack Ports and Flushing Manifolds 110-0528 Flushing Manifold for LLF Adapter 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter · Silicone tube $D = \emptyset$ 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" 11 11 110-0529 Flushing Manifold FX for LLF Adapter . 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter Silicone tube $D = \emptyset$ 6 mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" • With tray fixation (FX) Includes L-Key TX25 110-0530 Manifold FX Filter for LLF Adapter 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter . Silicone tube $D = \emptyset 6 \text{ mm}$, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds" . With tray fixation (FX) · With integrated filter · Includes L-Key TX25 110-0525 Filter Cylinder FX for LLF Adapter

- \cdot 4 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter
- Silicone tube $D = \emptyset 6$ mm, L = 600 mm and port adapter suitable for "Connector Rack for Flushing Manifolds"
- \cdot With tray fixation (FX)
- · With integrated filter

Flushing tubes

110-0537

Flushing Tube Mix for Port Adapter

- $\cdot~$ 5 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm
- 1 port cap open, D = \emptyset 4-8 mm, grey, for instruments D = \emptyset 4-8 mm
- Compatible with Mix Trays



Article number Article Flushing tubes 110-0538 Flushing Tube Mix for LLF Adapter · 6 Luer Lock Male (LLM) flushing ports for Luer Lock Female (LLF) port adapter · Compatible to Mix Trays 1005243 Flushing Tube Mix Luer Lock · 3 Luer Lock Male (LLM) flushing ports · 3 Luer Lock Female (LLF) flushing ports · Compatible to Mix Trays Flushing Tube Mix for Dental I 1005258 3 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm . 3 flushing ports for dental instruments . Compatible to Mix Trays 1005260 Flushing Tube Mix for Dental II 6 flushing ports for dental instruments Compatible to Mix Trays 1005261 Flushing Tube for Mix Connector Set $\cdot~$ 6 flushing ports D = Ø 3 mm for one "Mix Connector Set" per flushing tube · Compatible to Mix Trays

Article number	Article
Product Connectors	
110-0531	Product Connector LLM with Port Adapter
	 Port adapter suitable for port caps, D = Ø 5 mm, green Luer Lock Male (LLM) connector Silicone tube D = Ø 4 mm, L = 300 mm
110-0532	Product Connector LLF with Port Adapter
	 Port adapter suitable for port caps, D = Ø 5 mm, green Luer Lock Female (LLF) connector Silicone tube D = Ø 4 mm, L = 300 mm
110-0533	Product Connector 2 x LLF
	 2 Luer Lock Female (LLF) connectors Silicone tube D = Ø 4 mm, L = 300 mm
110-0534	Product Connector LLF and LLM
	 Luer Lock Female (LLF) connector Luer Lock Male (LLM) connector Silicone tube D = Ø 4 mm, L = 300 mm
Port Adapters	
1023228	Port Adapter Module+ grey



- 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm
 6 port adapters D = Ø 10 mm
 Premounted as port adapter
 Port Adapters can be connected to the port caps Module+

Port Adapters

110-0551



Article

Port Adapter D2 Red

- · 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm •
 - 6 port adapters $D = \emptyset$ 10 mm
- · Premounted as port adapter

110-0552



Port Adapter D3 Blue

.

6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm

 $\cdot~$ 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm

- 6 port adapters $D = \emptyset$ 10 mm
- Premounted as port adapter

110-0554



6 port adapters $D = \emptyset$ 10 mm .

· Premounted as port adapter

110-0555



Port Adapter Caps punched Natural

- · 6 port caps punched, natural
- · 6 port adapter with tapered jet
- · Premounted as port adapter

110-0557



Port Adapter open D8 Natural

- · 6 port caps open, $D = \emptyset$ 8 mm, natural, for instruments up to $D = \emptyset$ 9 mm
- 6 port adapters $D = \emptyset$ 10 mm
- · Premounted as port adapter

110-0565



Port Adapter open D10 Blue

- 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm
- 6 port adapters $D = \emptyset$ 12 mm
- · Premounted as port adapter

Article number	Article
Port Adapters	
110-0566	Port Adapter open D4-8 Grey
	 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm 6 port adapters D = Ø 12 mm Premounted as port adapter
110-0567	Port Adapter LLF
	6 port adapters Luer Lock Female (LLF) with port adapter
110-0568	Port Adapter LLM
	6 port adapters Luer Lock Male (LLM) with port adapter

110-0569



ŦŦŦŦŦ

Port Adapter Catheter D7

· Port adapter catheter D = Ø 7 mm, L = 310 mm, perforated, with port adapter

110-0570



Port Adapter Catheter D10

 $\cdot~$ Port adapter catheter D = Ø 10 mm, L = 310 mm, perforated, with port adapter

110-0571



Port Adapter Phaco

- Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap .
- · Port adapter $D = \emptyset$ 10 mm
- · Luer Lock Female (LLF) connector
- Luer Male (LM) connector •
- Premounted as port adapter
 For phaco eye instrument set

Article number	A-ti-la
Article number	Article
Port Adapters	
110-0572	Port Adapter 2 x LLM
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 10 mm 2 Luer Lock Male (LLM) connectors Premounted as port adapter
110-0573	Port Adapter 2 x D4-8 Grey
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 12 mm 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Premounted as port adapter
110-0574	Port Adapter 2 x Tapered Jet
	 Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap Port adapter D = Ø 10 mm 2 tapered jets Premounted as port adapter
110-0587	Port Adapter Jet L80
	· 3 port adapter jets D = Ø 3 mm, L = 80 mm, with port adapter
110-0588	Port Adapter Jet L120
	· 3 port adapter jets D = Ø 4 mm, L = 120 mm, with port adapter
110-0589	Port Adapter Jet L180
	- 3 port adapter jets D = Ø 6 mm, L = 180 mm, with port adapter

Article number	Article
	Article
LLF Adapters	
1023229	LLF Adapter Module+ grey
	 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm 6 port adapters D = Ø 10 mm Premounted as LLF adapter Port Adapters can be connected to the port caps Module+
110-0575	LLF Adapter D2 Red
	 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter
110-0576	LLF Adapter D3 Blue
	 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter
110-0577	LLF Adapter D5 Green
	 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter
110-0578	LLF Adapter D4-8 Grey
	 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter
110-0579	LLF Adapter Cap punched Natural
	 6 port caps punched, natural 6 LLF port adapters with tapered jet Premounted as LLF adapter
110-0580	LLF Adapter open D8 Natural
	 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm 6 LLF port adapters D = Ø 10 mm Premounted as LLF adapter

LLF Adapters

110-0581

110-0582



LLF Adapter open D10 Blue

Article

•

.

- · 6 port caps open, $D = \emptyset$ 10 mm, blue, for instruments up to $D = \emptyset$ 11 mm
- 6 LLF port adapters $D = \emptyset$ 12 mm Premounted as LLF adapter

LLF Adapter open D4-8 Grey

- 6 port caps open, $D = \emptyset$ 4-8 mm, grey, for instruments $D = \emptyset$ 3-9 mm
- 6 LLF port adapters $D = \emptyset$ 12 mm
- Premounted as LLF adapter

110-0583

LLF Adapter Phaco

- $\cdot~$ Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap
- · LLF port adapter $D = \emptyset$ 10 mm
- Luer Lock Female (LLF) connector
- · Luer Male (LM) connector
- · Premounted as LLF adapter
- · For phaco eye instrument set

110-0584

LLF Adapter 2 x LLM

- Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap
- · LLF port adapter $D = \emptyset$ 10 mm
- · 2 Luer Lock Male (LLM) port
- · Premounted as LLF adapter

110-0585



LLF Adapter 2 x D4-8 Grey

- Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap
- · LLF port adapter $D = \emptyset$ 12 mm
- 2 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm
 - Premounted as LLF adapter

110-0586



LLF Adapter 2 x Tapered Jet

- \cdot Double silicone tube 2 x D = Ø 2 mm, L = 200 mm with attached port cap
- $\cdot \quad \text{LLF port adapter } \mathsf{D} = \textit{Ø} \ 10 \ \text{mm}$
- · 2 tapered jets
- Premounted as LLF adapter

Article number	Article
Replacement Parts	
110-0645	Replacement Standard Filtration Blue
	 3 filter sets with each 1 filter and 1 silicone ring, blue Standard filtration for lumened instruments Mesh size 0.13-0.14 mm
110-0590	Replacement Fine Filtration Red
Sand Sand Sand Sand Sand Sand Sand	 3 filter sets with each 2 filters and 1 silicone ring, red Fine filtration for lumened instruments with high requirements Mesh size below 0.08 mm
1023230	Replacement Port Caps Module+ grey
	 6 port caps Module+ open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 10 mm
110-0592	Replacement Port Caps D2 Red
	 6 port caps self closing, D = Ø 2 mm, red, for instruments up to D = Ø 3 mm Suitable for port adapter D = Ø 10 mm
110-0593	Replacement Port Caps D3 Blue
	 6 port caps self closing, D = Ø 3 mm, blue, for instruments up to D = Ø 4 mm Suitable for port adapter D = Ø 10 mm
110-0594	Replacement Port Caps D5 Green
	 6 port caps self closing, D = Ø 5 mm, green, for port adapters and instruments up to D = Ø 6 mm Suitable for port adapter D = Ø 10 mm and flushing manifold
110-0596	Replacement Port Caps D4-8 Grey
	 6 port caps self closing, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 10 mm

Article number	Article
Replacement Parts	
110-0597	Replacement Port Caps punched Natural
	 6 port caps punched, natural Suitable for port adapter cap punched natural
110-0598	Replacement Port Caps open D8 Natural
	 6 port caps open, D = Ø 8 mm, natural, for instruments up to D = Ø 9 mm Suitable for port adapter D = Ø 10 mm
110-0599	Replacement Port Caps open D10 Blue
	 6 port caps open, D = Ø 10 mm, blue, for instruments up to D = Ø 11 mm Suitable for port adapter D = Ø 12 mm
110-0646	Replacement Port Caps open D4-8 Grey
	 6 port caps open, D = Ø 4-8 mm, grey, for instruments D = Ø 3-9 mm Suitable for port adapter D = Ø 12 mm
1005262	Mix Connector Set Phaco
<i></i>	 3 Luer Lock Female (LLF) connectors 3 Luer Male (LM) connectors 6 silicone tubes D = Ø 2 mm Compatible to "Flushing Tube for Mix Connector Set"
1005263	Silicone Tubes Mix Connector Set
	 Replacement silicone tubes to "Mix Connector Set" 12 silicone tubes D = Ø 2 mm x 100 mm Suitable for 2 Mix Connector Sets Suitable for 1 Mix Tray III for Eye Instruments

Article number	Article
Replacement Parts	
110-0601	Replacement Silicone Tubes L300
0000	 10 silicone tubes, D = Ø 4 mm, L = 300 mm Suitable for "Product Connectors"
110-0602	Replacement Silicone Tubes L200
	 5 double silicone tubes 2 x D = Ø 2 mm, L = 200 mm, with attached port cap With silicone tube cuffs Suitable for adapters
110-0603	Replacement Silicone Tubes L600
0000	 5 silicone tubes D = Ø 6 mm, L = 600 mm Suitable for "Flushing Manifolds" and "Filter Cylinder"
1005264	Replacement Silicone Tubes L2000
	 1 silicone tube D = Ø 4 mm, L = 2000 mm Suitable for "Product Connectors" for individual length
110-0604	Replacement Silicone Supports L230
	 4 flexible silicone supports L = 230 mm Includes mounting Suitable for one "System Tray DIN" Suitable for two "System Trays 1/2 DIN"

Article number	Article
Article number	Anice
Replacement Parts	
110-0605	Replacement Silicone Supports L110
	 5 silicone knob supports L = 110 mm Suitable for two "System Trays 1/4 DIN"
110-0606	Replacement Silicone Supports L160
	 4 flexible silicone supports L = 160 mm Suitable for one "Mix Tray" with 2 instrument lifts
110-0607	Replacement Silicone Cushions
88888	 10 silicone cushions Suitable for trays and other applications
110-0608	Replacement Silicone Tray Fixation
	 10 silicone elements Suitable for fixation of cassettes within a "System Tray" or "Mix Tray"
110-0609	Replacement Silicone Flaps Mix



4 silicone flaps for Mix Tray connector
Suitable for Rack MIS Multitop and Rack Mixed Instruments

Visit us at **belimed.com**



Switzerland (Headquarters)

Belimed AG Grienbachstrasse 11 6300 Zug +41 41 449 78 88 info@belimed.com





5320.711.097_2021.04



Engineers of Confidence.